

Printing date 07/28/2015 Reviewed on 07/28/2015

1: Identification

· Product identifier

· Trade name: LOW ISE CALIBRATOR ENVOY

· Article number: 55117.

· Synonyms ENVOY 500 ISE CALIBRATOR.

Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Reagent for IN VITRO diagnostic

Product included in kit(s):

- Kit composed of two reagents: 55117.

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

ELITech Clinical Systems SAS

Zone Industrielle 61500 Sées • France Tel: +33 (0)2 33 81 21 00 Fax: +33 (0)2 33 28 77 51 www.elitechgroup.com

MSDS.ECS-SAS@elitechgroup.com

Information department: Product safety department

· Emergency telephone number: Contact your distributor or poison control center in your country.

2: Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 -
- · Hazard pictograms -
- · Signal word -
- · Hazard statements -

3: Composition/information on ingredients

Chemical characterization: Mixtures

Description:

Mixture of substances. Aqueous solution.

Dangerous components: No dangereous component in reportable quantity.

4: First-aid measures

- Description of first aid measures
- · General information: Show this safety data sheet to the doctor in attendance.
- After inhalation:

Supply fresh air.

Move out of dangerous area.

If required, provide artificial respiration.

If symptoms appear, seek medical advice.

After skin contact:

Rinse with water.

If symptoms appear, seek medical advice.

After eye contact:

Protect unharmed eye.

Remove contact lenses, if present and easy to do.

Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.

After swallowing:

Never give anything by mouth to an unconscious person.

Rinse out mouth.

Do not induce vomiting.

Seek advice from a doctor or a poison control center.

Information for doctor:

· Most important symptoms and effects, both acute and delayed Data not available

· Indication of any immediate medical attention and special treatment needed Data not available

- USA

Printing date 07/28/2015 Reviewed on 07/28/2015

Trade name: LOW ISE CALIBRATOR ENVOY

(Contd. of page 1)

5: Fire-fighting measures

· Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture Formation of hazardous vapours/gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment: As in any fire, wear a respiratory protective device, and full protective gear.

6: Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid physical contact with material.

· Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Clean the affected area carefully.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information

7: Handling and storage

· Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid physical contact with material.

Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect the product from light. Avoid exposure to heat.

- Recommended storage temperature: 2-30 °C
- · Specific end use(s) Data not available

8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

· Breathing equipment:

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/28/2015 Reviewed on 07/28/2015

Trade name: LOW ISE CALIBRATOR ENVOY

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Goggles recommended during refilling.

to be checked prior to the application.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Body protection: Protective work clothing

| Information on basic physical and of | chemical properties |
|---------------------------------------|---|
| General Information | |
| Appearance: Form: | Fluid |
| Form: Color: | Colorless |
| Odor: | Odorless |
| Odour threshold: | Not determined. |
| pH-value at 20 °C (68 °F): | 8.9 |
| Change in condition | |
| Melting point/Melting range: | Not applicable |
| Boiling point/Boiling range: | Not determined. |
| Solidification point: | Not determined |
| , , , , , , , , , , , , , , , , , , , | |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | Not determined |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Vapor pressure: | Not determined. |
| Density: | |
| Relative density at 20 °C (68 °F) | 1.004 g/cm³ (8.378 lbs/gal) |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Miscible |
| Partition coefficient (n-octanol/wate | r): Data not available |
| Viscosity: | |
| Dynamic: | Not determined. |
| Other information | No further relevant information available. |

10: Stability and reactivity

- · Reactivity No dangerous reactions known.
- · Chemical stability Stable under recommended storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions if used according to specifications.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents, acids.
- · Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.
- Additional information: Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

11: Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 > 5000 mg/kg

- Primary irritant effect:
- on the skin: May cause irritating effect.
- · on the eye: May cause irritating effect.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/28/2015 Reviewed on 07/28/2015

Trade name: LOW ISE CALIBRATOR ENVOY

· Inhalation:

May be harmful by inhalation.

May cause irritating effect.

- · Ingestion: May be harmful if swallowed.
- · Sensitization: Sensitizing effect is possible.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) None of the ingredient is listed.
- · NTP (National Toxicology Program) None of the ingredient is listed.
- · Aspiration hazard: Data not available

12: Ecological information

- · Toxicity
- Aquatic toxicity: At present there are no ecotoxicological assessments.
- · Persistence and degradability Data not available
- · Behavior in environmental systems:
- · Bioaccumulative potential Data not available
- · Mobility in soil Data not available
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Disposal procedures have to be respected, see Section 13.

Other adverse effects No further relevant information available.

13: Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Primary packaging: Glass bottle

| UN-Number DOT, ADR, ADN, IMDG, IATA | Not applicable | |
|---|------------------|--|
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | - | |
| Transport hazard class(es) | | |
| DOT, ADR, ADN, IMDG, IATA Class | - | |
| Packing group DOT, ADR, IMDG, IATA | - | |
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex II of MAR | POL73/78 and the | |
| IBC Code | Not applicable. | |

15: Regulatory information

- SARA
- · Section 302/304 (40CFR355.30 / 40CFR355.40): None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings): Not regulated.
- · TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.
- Proposition 65
- · Chemicals known to cause cancer: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity: None of the ingredient is listed.
- · Carcinogenic categories
- \cdot EPA (Environmental Protection Agency) None of the ingredient is listed.

(Contd. on page 5)

Printing date 07/28/2015 Reviewed on 07/28/2015

Trade name: LOW ISE CALIBRATOR ENVOY

(Contd. of page 4)

- · TLV (Threshold Limit Value established by ACGIH) None of the ingredient is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredient is listed.
- · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredient is listed.
- U. S. State Regulations:
- · PA-RTK None of the ingredient is listed.
- · NJ-RTK None of the ingredient is listed.
- · MA-RTK None of the ingredient is listed.
- · RI-RTK None of the ingredient is listed.
- US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

- · Department issuing MSDS: Product safety department
- Contact: Product safety department
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NOEC: No Observed Effect Concentration EC50: Effective concentration, 50 percent IC50: Inhibitory concentration, 50 percent.

st Data compared to the previous version altered.



Printing date 07/28/2015 Reviewed on 07/28/2015

1: Identification

· Product identifier

· Trade name: HIGH ISE CALIBRATOR ENVOY

· Article number: 55117.

· Synonyms ENVOY 500 ISE CALIBRATOR.

Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Reagent for IN VITRO diagnostic

Product included in kit(s):

- Kit composed of two reagents: 55117.

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ELITech Clinical Systems SAS

Zone Industrielle 61500 Sées • France Tel: +33 (0)2 33 81 21 00 Fax: +33 (0)2 33 28 77 51 www.elitechgroup.com

MSDS.ECS-SAS@elitechgroup.com

Information department: Product safety department

· Emergency telephone number: Contact your distributor or poison control center in your country.

2: Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 -
- · Hazard pictograms -
- · Signal word -
- · Hazard statements -

3: Composition/information on ingredients

Chemical characterization: Mixtures

Description:

Mixture of substances. Aqueous solution.

· Dangerous components: No dangereous component in reportable quantity.

4: First-aid measures

- Description of first aid measures
- · General information: Show this safety data sheet to the doctor in attendance.
- After inhalation:

Supply fresh air.

Move out of dangerous area

If required, provide artificial respiration.

If symptoms appear, seek medical advice.

After skin contact:

Rinse with water.

If symptoms appear, seek medical advice.

After eye contact:

Protect unharmed eye.

Remove contact lenses, if present and easy to do.

Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.

After swallowing:

Never give anything by mouth to an unconscious person.

Rinse out mouth.

Do not induce vomiting.

Seek advice from a doctor or a poison control center.

Information for doctor:

· Most important symptoms and effects, both acute and delayed Data not available

· Indication of any immediate medical attention and special treatment needed Data not available

- USA

Printing date 07/28/2015 Reviewed on 07/28/2015

Trade name: HIGH ISE CALIBRATOR ENVOY

(Contd. of page 1)

5: Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture Formation of hazardous vapours/gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment: As in any fire, wear a respiratory protective device, and full protective gear.

6: Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid physical contact with material.

· Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Clean the affected area carefully.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information

7: Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid physical contact with material.

Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Protect the product from light. Avoid exposure to heat.

- Recommended storage temperature: 2-30 °C
- · Specific end use(s) Data not available

8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

· Breathing equipment:

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

(Contd. on page 3)

Printing date 07/28/2015 Reviewed on 07/28/2015

Trade name: HIGH ISE CALIBRATOR ENVOY

· Material of gloves

(Contd. of page 2)

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Goggles recommended during refilling.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Body protection: Protective work clothing

| Information on basic physical and o | chemical properties |
|---------------------------------------|---|
| General Information | |
| Appearance: | EL 1 |
| Form: Color: | Fluid Colorless |
| Odor: | Odorless |
| Odour threshold: | Not determined |
| | |
| pH-value at 20 °C (68 °F): | 8.9 |
| Change in condition | |
| Melting point/Melting range: | Not applicable |
| Boiling point/Boiling range: | Not determined. |
| Solidification point: | Not determined |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | Not determined |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Vapor pressure: | Not determined. |
| Density: | |
| Relative density at 20 °C (68 °F) | 1.004 g/cm^2 |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Miscible |
| Partition coefficient (n-octanol/wate | r): Data not available |
| Viscosity: | |
| Dynamic: | Not determined. |
| Other information | No further relevant information available. |

10: Stability and reactivity

- · Reactivity No dangerous reactions known.
- · Chemical stability Stable under recommended storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions if used according to specifications.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents, acids.
- Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.
- · Additional information: Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

11: Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 > 5000 mg/kg

- Primary irritant effect:
- on the skin: May cause irritating effect.
- · on the eye: May cause irritating effect.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/28/2015 Reviewed on 07/28/2015

Trade name: HIGH ISE CALIBRATOR ENVOY

· Inhalation:

May be harmful by inhalation.

May cause irritating effect.

- · Ingestion: May be harmful if swallowed.
- · Sensitization: Sensitizing effect is possible.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) None of the ingredient is listed.
- · NTP (National Toxicology Program) None of the ingredient is listed.
- · Aspiration hazard: Data not available

12: Ecological information

- · Toxicity
- Aquatic toxicity: At present there are no ecotoxicological assessments.
- · Persistence and degradability Data not available
- · Behavior in environmental systems:
- · Bioaccumulative potential Data not available
- · Mobility in soil Data not available
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Disposal procedures have to be respected, see Section 13.

Other adverse effects No further relevant information available.

13: Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Primary packaging: Glass bottle

| UN proper shipping name | |
|---|-----------------|
| DOT, ADR, ADN, IMDG, IATA | - |
| Transport hazard class(es) | |
| DOT, ADR, ADN, IMDG, IATA Class | - |
| Packing group DOT, ADR, IMDG, IATA | - |
| Environmental hazards: Marine pollutant: | No |
| Special precautions for user | Not applicable. |
| Transport in bulk according to Annex II of MARPOL73/78 an | nd the |

15: Regulatory information

- SARA
- · Section 302/304 (40CFR355.30 / 40CFR355.40): None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings): Not regulated.
- · TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.
- Proposition 65
- · Chemicals known to cause cancer: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity: None of the ingredient is listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) None of the ingredient is listed.

(Contd. on page 5)

Printing date 07/28/2015 Reviewed on 07/28/2015

Trade name: HIGH ISE CALIBRATOR ENVOY

(Contd. of page 4)

- · TLV (Threshold Limit Value established by ACGIH) None of the ingredient is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredient is listed.
- · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredient is listed.
- U. S. State Regulations:
- · PA-RTK None of the ingredient is listed.
- · NJ-RTK None of the ingredient is listed.
- · MA-RTK None of the ingredient is listed.
- · RI-RTK None of the ingredient is listed.
- US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

- · Department issuing MSDS: Product safety department
- Contact: Product safety department
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NOEC: No Observed Effect Concentration EC50: Effective concentration, 50 percent IC50: Inhibitory concentration, 50 percent.

st Data compared to the previous version altered.