

Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2015 Reviewed on 05/27/2015

1: Identification

· Product identifier

· Trade name: ISE REFERENCE SOLUTION

· Article number: 55382 / ISRS-5XXX

· Synonyms ENVOY 500 ISE REFERENCE / ISE REFERENCE SOLN A

· Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Reagent for IN VITRO diagnostic

Product included in kit(s):

- Kit composed of one reagent: 55382 / ISRS-0800

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ELITech Clinical Systems SAS

Zone Industrielle 61500 Sées • France Tel: +33 (0)2 33 81 21 00 Fax: +33 (0)2 33 28 77 51

www.elitechgroup.com

MSDS.ECS-SAS@elitechgroup.com

Information department: Product safety department

· Emergency telephone number: Contact your distributor or poison control center in your country.

2: Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H302 Harmful if swallowed.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R22: Harmful if swallowed.

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

· Labelling according to Regulation (EC) No 1272/2008 The product is classified and labeled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

tetramethylammonium hydroxide

Hazard statements

Harmful if swallowed.

Precautionary statements

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

3: Composition/information on ingredients

· Chemical characterization: Mixtures

Description:

Mixture of substances.

Aqueous solution.

Dangerous components:

CAS NO. Description % 10043-35-3 boric acid ≤ 2.5% T Repr. Cat. 2 R60-61 Repr. 1B, H360FD (Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2015 Reviewed on 05/27/2015

Trade name: ISE REFERENCE SOLUTION

(Contd. of page 1)

75-59-2 tetramethylammonium hydroxide

T+ R27/28; C R35; Xn R48/21

Acute Tox. 2, H300; Acute Tox. 1, H310; STOT SE I, H370; STOT RE 1, H372; Skin Corr. 1B, H314; Aquatic

Chronic 2, H411

SVHC

10043-35-3 boric acid

4: First-aid measures

· Description of first aid measures

General information:

Show this safety data sheet to the doctor in attendance.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air.

Move out of dangerous area.

If required, provide artificial respiration.

If symptoms appear, seek medical advice.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If symptoms appear, seek medical advice.

After eye contact:

Protect unharmed eye.

Remove contact lenses, if present and easy to do.

Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.

After swallowing:

Never give anything by mouth to an unconscious person.

Rinse out mouth.

Seek advice from a doctor or a poison control center.

- · Information for doctor: Data not available
- · Most important symptoms and effects, both acute and delayed Data not available
- · Indication of any immediate medical attention and special treatment needed Data not available

5: Fire-fighting measures

· Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

Formation of hazardous vapours/gases is possible during heating or in case of fire.

Boron oxides

Carbon oxides (COx)

- Nitrogen oxides (NOx)
- · Advice for firefighters
- · Protective equipment: As in any fire, wear a respiratory protective device, and full protective gear.

6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid physical contact with material.

Avoid formation of gas/mist/vapours.

Avoid breathing gas/mist/vapours.

Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7: Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2015 Reviewed on 05/27/2015

Trade name: ISE REFERENCE SOLUTION

(Contd. of page 2)

Open and handle receptacle with care.

Avoid physical contact with material.

Avoid formation of gas/mist/vapours.

Avoid breathing gas/mist/vapours.

Observe the warnings on the label.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: aluminium.
- Information about storage in one common storage facility: Store away from incompatible materials (see section 10).
- · Further information about storage conditions:

Store receptacle in a well ventilated area.

Keep receptacle tightly sealed.

- Protect the product from light. Avoid exposure to heat.
- · Recommended storage temperature: 10-30 °C
- · Specific end use(s) No further relevant information available.

8: Exposure controls/personal protection

- · Additional information about design of technical systems: Eyewash fountain and safety shower in the area of storage and use.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

10043-35-3 boric acid (2.5-10%)

TLV (USA) Short-term value: 6* mg/m³

Long-term value: 2* mg/m³
*as inhalable fraction

Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Avoid physical contact with material.

Avoid formation of gas/mist/vapours.

Do not breathe mist/vapours/spray.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Breathing equipment:

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Safety glasses

- Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
- · Body protection: Protective work clothing

9: Physical and chemical properties

Information on basic physical and chemical properties

General Information

· Appearance:

Form: Liquid
Color: Colorless
Odor: Odorless
Odour threshold: Not determined

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2015 Reviewed on 05/27/2015

Trade name: ISE REFERENCE SOLUTION

		(Contd. of page
· pH-value at 20 °C (68 °F):	8.6	
· Change in condition		
Melting point/Melting range:	Not applicable	
Boiling point/Boiling range:	Not determined.	
Solidification point:	Not determined	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Vapor pressure:	Not determined.	
Density:		
Relative density at 20 °C (68 °F)	1.0051 g/cm³ (8.388 lbs/gal)	
Vapour density	Not determined.	
Evaporation rate	Not determined	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined	
· Viscosity:		
Dynamic:	Not determined.	
Other information	No further relevant information available.	

10: Stability and reactivity

- Reactivity See § Possibility of hazardous reactions.
- Chemical stability Stable under recommended storage conditions.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Formation of hazardous vapours/gaz is possible during heating.

- Possibility of hazardous reactions No dangerous reactions if used according to specifications.
- · Conditions to avoid No further relevant information available.
- Incompatible materials:

Strong oxidizing agents, strong acids Acid anhydrides

Metallic aluminium

Hazardous decomposition products:

Dangerous decomposition products may be formed.

Nitrogen oxides (NOx)

Carbon oxides (COx)

Boron oxides

Additional information: Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

11: Toxicological information

· Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)			
Oral	LD50	1034 mg/kg (rat)	
Dermal	LD50	3367 mg/kg (-)	
Inhalative	LC50/4 h	116 mg/l (rat)	

10043-35-	3 boric aci	id
Oral	LD50	2660 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>2.03 mg/l (rat)
75-59-2 te	tramethyl	ammonium hydroxide
Oral	LD50	7.5 mg/kg (rat)
Dermal	LD50	25 mg/kg (rat)

- · Primary irritant effect:
- on the skin: May cause irritating effect.
- on the eye: May cause irritating effect.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2015 Reviewed on 05/27/2015

Trade name: ISE REFERENCE SOLUTION

· Inhalation:

May cause irritating effect.

May be harmful by inhalation.

- · Ingestion: Harmful if swallowed.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) None of the ingredient is listed.
- · NTP (National Toxicology Program) None of the ingredient is listed.
- · CMR effects
- · Carcinogenic effects: Data not available
- · Mutagenicity: Data not available
- · Reproductive Effects: Data not available
- · Effects on development: Data not available
- · Target organs: Data not available
- · Aspiration hazard : Data not available

12: Ecological information

- · Toxicity
- Aquatic toxicity:

Information on components:

10043-35-	10043-35-3 boric acid		
	133 mg/l (Daphnia)		
	ECOTOX Database		
LC0/96h	> 1021 mg/l (Lepomis macrochirus)		
LC50/21d	53.2 mg/L (Daphnia)		
LC50/96h	50-100 mg/l (Onchorhyncus mykiss) ECOTOX database		
	279 mg/l (Ptychocheilus lucius)		
75-59-2 te	tramethylammonium hydroxide		
EC50/40L	EC50/40h 2// (Dh-i-)		

EC50/48h 3 mg/l (Daphnia)

EC50/72h 96 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 100 mg/l (Pimephales promelas)

- Persistence and degradability Data not available
- Behavior in environmental systems:
- · Bioaccumulative potential Data not available
- · Mobility in soil Data not available
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Disposal procedures have to be respected, see Section 13.

Other adverse effects No further relevant information available.

13: Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- $\cdot \ Uncleaned \ packagings:$
- Recommendation: Disposal must be made according to official regulations.
- · Primary packaging: Plastic vial (composed of polyethylene high density).

14: Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not applicable -	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	-	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	-	
Packing group DOT, ADR, IMDG, IATA	-	

(Contd. on page 6)

A4

Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2015 Reviewed on 05/27/2015

Trade name: ISE REFERENCE SOLUTION

		(Contd. of page 5)
Environmental hazards: Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPO IBC Code	L73/78 and the Not applicable.	
· UN "Model Regulation":	-	

15: Regulatory information

- Section 302/304 (40CFR355.30 / 40CFR355.40): None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings): Not regulated.
- · TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.

· Proposition 65

- Chemicals known to cause cancer: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity: None of the ingredient is listed.
- · Carcinogenic categories

· EPA (Env	ironmental Protection Agency)	Ιχ	
10043-35	3 boric acid	I	

· TLV (Threshold Limit Value established by ACGIH)

NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredient is listed.

· OSHA-Ca (Occupational Safety & Health Administration) None of the ingredient is listed.

· U. S. State Regulations:

10043-35-3 boric acid

- · PA-RTK None of the ingredient is listed.
- · NJ-RTK None of the ingredient is listed.
- · MA-RTK None of the ingredient is listed.
- **RI-RTK** None of the ingredient is listed.
- US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

Relevant phrases

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H360FD May damage fertility. May damage the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

R27/28 Very toxic in contact with skin and if swallowed.

R35 Causes severe burns.

R48/21 Harmful: danger of serious damage to health by prolonged exposure in contact with skin.

R60 May impair fertility.

May cause harm to the unborn child

Department issuing MSDS: Product safety department

Contact: Product safety department

Abbreviations and acronyms:

SVHC: Substances of Very High Concern

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

NOEC: No Observed Effect Concentration

EC50: Effective concentration, 50 percent IC50: Inhibitory concentration, 50 percent.

Acute Tox. 2: Acute toxicity, Hazard Category 2
Acute Tox. 4: Acute toxicity, Hazard Category 4
Acute Tox. 1: Acute toxicity, Hazard Category 1
Skin Corn. 1B: Skin cornsion/irritation, Hazard Category 1B
Repr. 1B: Reproductive toxicity, Hazard Category 1B

STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1 - STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2015 Reviewed on 05/27/2015

Trade name: ISE REFERENCE SOLUTION

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 $\,$

(Contd. of page 6)

* Data compared to the previous version altered.

TICA -