

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2015 Reviewed on 03/12/2015

1: Identification

- · Product identifier
- · Trade name: CHOLESTEROL HDL 2G CALIBRATOR
- · Article number: 55119A / 77119A / HDLL-4XXX
- · Synonyms ENVOY 500 HDL CAL / EON HDL CAL / CHOLESTEROL HDL 2G CAL
- · Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture

Reagent for IN VITRO diagnostic

Product included in kit(s):

- Kit composed of one reagent : 55119 / 77119 / HDLL-0041
- \cdot Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ELITech Clinical Systems SAS

Zone Industrielle 61500 Sées • France Tel: +33 (0)2 33 81 21 00 Fax: +33 (0)2 33 28 77 51 www.elitechgroup.com

MSDS.ECS-SAS@elitechgroup.com

- · Information department: Product safety department
- · Emergency telephone number: Contact your distributor or poison control center in your country.

2: Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

Harmful if swallowed.

R32-52/53: Contact with acids liberates very toxic gas. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

Additional information:

Contains compounds of human origin potentially infectious.

All products derived from blood are prepared from the blood of donors tested individually and found to be negative for HbsAg and antibodies to HCV and HIV1/HIV2. Nevertheless is impossible to reach complete information about the possibility of disease transmission, please handle as potentially infectious.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labeled according to the CLP regulation.
- · Hazard pictograms -
- · Signal word -
- · Hazard statements

Harmful to aquatic life with long lasting effects.

- · Precautionary statements
- Avoid release to the environment.
- · Additional information:

Contact with acids liberates very toxic gas.

3: Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances.
- · Dangerous components:

· CAS NO. Description	%	
26628-22-8 sodium azide		< 0.5%

· Additional information: Contains compounds of human origin potentially infectious.

4: First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Show this safety data sheet to the doctor in attendance.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2015 Reviewed on 03/12/2015

Trade name: CHOLESTEROL HDL 2G CALIBRATOR

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

If required, provide artificial respiration.

· After skin contact:

Immediately rinse with water.

Clean with a disinfectant.

If symptoms appear, seek medical advice.

· After eye contact:

Protect unharmed eye.

Remove contact lenses, if present and easy to do.

Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.

· After swallowing:

Never give anything by mouth to an unconscious person.

Rinse out mouth.

Seek advice from a doctor or a poison control center.

· Information for doctor:

- · Most important symptoms and effects, both acute and delayed Data not available
- · Indication of any immediate medical attention and special treatment needed Data not available

5: Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Unknown
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon oxides (COx)

- Nitrogen oxides (NOx)
- · Advice for firefighters
- · Protective equipment: As in any fire, wear a respiratory protective device, and full protective gear.

6: Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Handle as potentially infectious.

Wear protective clothing.

Ensure adequate ventilation

Avoid formation of dust/spray.

Avoid physical contact with material.

- · Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:

Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

Disinfectant.

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7: Handling and storage

- · Handling:
- · Precautions for safe handling

Handle as potentially infectious.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid physical contact with material.

Prevent formation of dust.

- Observe the warnings on the label.
- · Information about protection against explosions and fires: No special measures required.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from incompatible materials (see section 10).
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect the product from light. Avoid exposure to heat.

· Recommended storage temperature: 2-8 °C

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2015 Reviewed on 03/12/2015

Trade name: CHOLESTEROL HDL 2G CALIBRATOR

· Specific end use(s) No further relevant information available.

(Contd. of page 2)

8: Exposure controls/personal protection

- · Additional information about design of technical systems: Eyewash fountain and safety shower in the area of storage and use.
- · Control parameters

Components with limit values that require monitoring at the workplace:

26628-22-8 sodium azide (< 0.5%)

REL (USA) Ceiling limit value: 0.3** mg/m³, 0.1* ppm

*as HN3; **as NaN3; Skin

TLV (USA) Ceiling limit value: 0.29** mg/m³, 0.11* ppm

*as HN3 vapor **as NaN3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling products potentially infectious.

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

· Breathing equipment:

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Safety glasses

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or EN166 (EU).

· Body protection: Protective work clothing

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Lyophilised material	
Color:	Yellowish	
Odor:	Odorless	
pH-value:	Not applicable	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Solidification point:	Data not available Not applicable Not applicable	
Flash point:	Not applicable	
Flammability (solid, gaseous):	Data not available	
Ignition temperature:	Data not available	
Decomposition temperature:	Data not available	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Data not available	
Explosion limits: Lower:	Not applicable	

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2015 Reviewed on 03/12/2015

Trade name: CHOLESTEROL HDL 2G CALIBRATOR

		(Contd. of page
Upper:	Not applicable	
· Vapor pressure:	Not applicable.	
· Density:	Data not available	
· Vapour density	Not applicable	
· Evaporation rate	Not applicable	
· Solubility in / Miscibility with		
Water:	Soluble.	
· Partition coefficient (n-octanol/v	vater): Data not available	
· Viscosity:		
Dynamic:	Not applicable	
· Other information	No further relevant information available.	

10: Stability and reactivity

- · Reactivity See § Possibility of hazardous reactions.
- · Chemical stability Stable under recommended storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Sodium azide, containded in the product, can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Sodium azide (26628-22-8): incompatible with acids, and some metals; forms explosion-sensitive compounds.
- $\cdot \ Hazardous \ decomposition \ products:$

Formation of toxic gases is possible during heating or in case of fire.

Carbon oxides (COx)

Nitrogen oxides (NOx)

· Additional information: Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

11: Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Ac	Coxicity Estimates)	
Oral	50 9000 mg/kg (mouse)	
Dermal	50 6667 mg/kg (rabbit)	
26628-22	dium azida	

26628-22-8 sodium azide		
Oral	LD50	27 mg/kg (mouse)
Dermal	LD50	20 mg/kg (rabbit)
Inhalative	LC50	37 mg/m3 (rat)

- · Primary irritant effect:
- · on the skin:

Contact with skin may cause redness, irritation and discomfort.

- May be harmful if absorbed through skin.
- · on the eye: May cause irritating effect.
- · Inhalation:

May be harmful by inhalation.

May cause irritating effect.

- · Ingestion: Harmful if swallowed.
- · Sensitization: Data not available
- $\cdot \textit{Additional toxicological information:}$

All products derived from blood are prepared from the blood of donors tested individually and found to be negative for HbsAg and antibodies to HCV and HIV1/HIV2. Nevertheless is impossible to reach complete information about the possibility of disease transmission, please handle as potentially infectious. Ingestion of large amount of sodium azide may cause nausea, vomiting and in certain circumstances respiratory difficulties, high pulse rate and/or hypersensitivity.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Available information lists no component.
- · NTP (National Toxicology Program) Available information lists no component.
- · CMR effects
- · Carcinogenic effects: Data not available
- · Mutagenicity: Data not available
- \cdot Reproductive Effects: Data not available
- · Effects on development: Data not available
- · Target organs:

Sodium azide (26628-22-8):

Cardiovascular system.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2015 Reviewed on 03/12/2015

Trade name: CHOLESTEROL HDL 2G CALIBRATOR

Central nervous system.

(Contd. of page 4)

12: Ecological information

- · Toxicity
- · Aquatic toxicity:

Information on components:

26628-22-8 sodium azide

EC50/48h 4.2 mg/l (Daphnia)

LC50/96h 0.68 mg/l (Lepomis macrochirus)

- · Persistence and degradability Data not available
- · Behavior in environmental systems:
- · Bioaccumulative potential Data not available
- · Mobility in soil Data not available
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic life with long lasting effects.

- Disposal procedures have to be respected, see Section 13.
- · Other adverse effects No further relevant information available.

13: Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent:

Sodium azide, containded in the product, can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.

· Primary packaging: Glass bottle

14: Transport information		
· UN-Number	Not applicable	
· DOT, ADR, ADN, IMDG, IATA	-	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	-	
· ADR	<u> </u>	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	-	
· Packing group		
· DOT, ADR, IMDG, IATA	-	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of MARPO	DL73/78 and the IBC	
Code	Not applicable.	
· UN "Model Regulation":	-	

15: Regulatory information

- \cdot SARA
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

26628-22-8 sodium azide

- · Section 313 (Specific toxic chemical listings): Not regulated.
- · TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.
- · Proposition 65
- · Chemicals known to cause cancer: Available information lists none.
- $\cdot \textit{Chemicals known to cause reproductive toxicity for females} : A \textit{vailable information lists none}.$
- · Chemicals known to cause reproductive toxicity for males: Available information lists none.

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2015 Reviewed on 03/12/2015

Trade name: CHOLESTEROL HDL 2G CALIBRATOR

· Chemicals known to cause developmental toxicity: Available information lists none.

(Contd. of page 5)

- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Available information lists none.

· TLV (Threshold Limit Value established by ACGIH)

26628-22-8 sodium azide

A4

- · NIOSH-Ca (National Institute for Occupational Safety and Health) Available information lists none.
- · OSHA-Ca (Occupational Safety & Health Administration) Available information lists none.
- · U. S. State Regulations:

· PA-RTK

26628-22-8 sodium azide

· NJ-RTK

26628-22-8 sodium azide

· MA-RTK

26628-22-8 sodium azide

· RI-RTK

26628-22-8 sodium azide

- · US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H300 Fatal if swallowed.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410

R28 Very toxic if swallowed.

Contact with acids liberates very toxic gas. R32

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Department issuing MSDS: Product safety department
- · Contact: Product safety department
- · Abbreviations and acronyms:

SVHC: Substances of Very High Concern
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NOEC : No Observed Effect Concentration

EC50: Effective concentration, 50 percent

IC50 : Inhibitory concentration, 50 percent. Acute Tox. 2: Acute toxicity, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

· * Data compared to the previous version altered.