

Printing date 09/08/2015

Safety Data Sheet acc. to OSHA HCS

Reviewed on 09/08/2015

Page 1/6

1: Identification

· Product identifier

- · Trade name: PHOSPHORUS Reagent
- · Article number: 77415A / 79415A / PHOS-0850R / PHOS-5XXX.
- · Synonyms EON 100 PHOSPHORUS R / EON 300 PHOSPHORUS R / PHOSPHORUS ENVOY R / PHOSPHORUS R.
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture
- Reagent for IN VITRO diagnostic
- Product included in kit(s) :
- Kit composed of one reagent : 77415 / 79415 / 55415 / PHOS-0230.

\cdot Details of the supplier of the safety data sheet

- Manufacturer/Supplier: ELITech Clinical Systems SAS Zone Industrielle 61500 Sées • France Tel : +33 (0)2 33 81 21 00 Fax : +33 (0)2 33 28 77 51 www.elitechgroup.com MSDS.ECS-SAS@elitechgroup.com
- · Information department: Product safety department
- · Emergency telephone number: Contact your distributor or poison control center in your country.

2: Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

- Eye Irrit. 2 H319 Causes serious eye irritation.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labeled according to the CLP regulation.
- Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation. Causes serious eve irritation.
- Causes serious eye initation
- Precautionary statements
- Wear protective gloves / eye protection / face protection.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

3: Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description:
- Mixture of substances. Aqueous solution.
- i queous solutioni
- · Dangerous components:

📀 Skin Corr. 1A, H314	≤ 2.5%
📀 Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302	< 0.5%

9036-19-5 Polyethylene glycol octylphenyl ether

4: First-aid measures

· Description of first aid measures

· General information:

Take off contaminated clothing and wash it before reuse.

Show this safety data sheet to the doctor in attendance.

Printing date 09/08/2015

Trade name: PHOSPHORUS Reagent

• After inhalation:
Supply fresh air.
Move out of dangerous area.
If required, provide artificial respiration.
If symptoms appear, seek medical advice.
After skin contact:
Take off contaminated clothing and wash before reuse.
Immediately rinse with water.
If symptoms appear, seek medical advice.
· After eye contact:
Protect unharmed eye.
Remove contact lenses, if present and easy to do.
Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.
· After swallowing:
Never give anything by mouth to an unconscious person.
Rinse out mouth.
Seek immediate advice from a doctor or a poison control center.
· Information for doctor:
· Most important symptoms and effects, both acute and delayed Data not available
· Indication of any immediate medical attention and special treatment needed Data not available
5: Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Carbon oxides (COx)
- Sulfur oxides (SOx)
- · Advice for firefighters
- · Protective equipment: As in any fire, wear a respiratory protective device, and full protective gear.

6: Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective clothing.
- Ensure adequate ventilation
- Avoid physical contact with material.
- Avoid formation of gas/mist/vapours.
- Avoid breathing gas/mist/vapours.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- · Methods and material for containment and cleaning up:
- Absorb spillage to prevent material damage.
- Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Clean the affected area carefully.

- Send for recovery or disposal in suitable receptacles.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7: Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Avoid physical contact with material.
- Avoid formation of gas/mist/vapours.
- Avoid breathing gas/mist/vapours.
- Observe the warnings on the label.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.
- May be corrosive to metals. Keep only in original container.

· Information about storage in one common storage facility: Store away from incompatible materials (see section 10).

(Contd. on page 3) - USA

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/08/2015

Trade name: PHOSPHORUS Reagent

(Contd. of page 2)

Reviewed on 09/08/2015

• Further information about storage conditions:

- Keep receptacle tightly sealed.
- Protect the product from light. Avoid exposure to heat. • Recommended storage temperature: 2-25 °C
- **Specific end use(s)** No further relevant information available.

8: Exposure controls/personal protection

· Additional information about design of technical systems: Eyewash fountain and safety shower in the area of storage and use.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7664-93-9 sulfuric acid

PEL (USA) Long-term value: 1 mg/m³

REL (USA) Long-term value: 1 mg/m³

TLV (USA) Long-term value: 0.2* mg/m³

*as thoracic fraction

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Take off contaminated clothing and wash before reuse.

Avoid physical contact with material.

Avoid formation of gas/mist/vapours.

Avoid breathing gas/mist/vapours.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. *Breathing equipment:*

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional. Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to

manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material* The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • *Eye protection:*

Wear face shield/eye protection.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Body protection: Protective work clothing

9: Physical and chemical properties

Information on basic physical and General Information	l chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless to light yellow	
· Odor:	Characteristic	
· Odour threshold:	Not determined	
• pH-value at 20 •C (68 •F):	< 2	
· Change in condition		
Melting point/Melting range:	Not applicable	
Boiling point/Boiling range:	Not determined.	
Solidification point:	Not determined	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined	
.		(Contd on page 4)

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/08/2015

Trade name: PHOSPHORUS Reagent

	(Contd. of page 3
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure:	Not determined
• Density: Relative density at 20 °C (68 °F) Vapour density Evaporation rate	1.01 g/cm ³ (8.428 lbs/gal) Not determined Not determined
• Solubility in / Miscibility with Water:	Miscible
· Partition coefficient (n-octanol/wate	r): Not determined
• Viscosity: Dynamic: • Other information	Not determined No further relevant information available.

10: Stability and reactivity

- · Reactivity See § Possibility of hazardous reactions.
- · Chemical stability Stable under recommended storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions
- No dangerous reactions if used according to specifications.
- Reactions possible with: Incompatible materials
- · Conditions to avoid No further relevant information available.
- **Incompatible materials:** Metals.
- Strong oxidizing agents.
- Bases.
- · Hazardous decomposition products:
- Dangerous decomposition products may be formed.

Carbon oxides (COx)

Sulfur oxides (SOx)

• Additional information: Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

11: Toxicological information

• Informat • Acute tox		oxicological effects	
· LD/LC50	values the	hat are relevant for classification:	
ATE (Ac	ute Toxic	icity Estimates)	
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>5000 mg/kg (rabbit)	
7664-93-	9 sulfuric	ic acid	
Oral	LD50	2140 mg/kg (rat)	
Inhalative	LC50/11	1h 0.5-1 mg/l (rat)	
9036-19-	5 Polyeth	hylene glycol octylphenyl ether	
Oral	LD50	1900-5000 mg/kg (rat)	
Dermal	LD50	> 3000 mg/kg (rabbit)	
· Primary i		ffect:	
• on the ski Causes sk		ion .	
\cdot on the eye		1011.	
		e irritation.	
\cdot Inhalation			
		y inhalation.	
		on of mucous membranes.	
· Ingestion			
		ons or burns of mucous. f swallowed.	
		a not available	
		logical information:	
		(Carth an	

(Contd. on page 5)

1

Κ

Safety Data Sheet acc. to OSHA HCS

Printing date 09/08/2015

Trade name: PHOSPHORUS Reagent

· Carcinogenic categories

7664-93-9 sulfuric acid

· NTP (National Toxicology Program)

7664-93-9 sulfuric acid

12: Ecological information

· Toxicity

· Aquatic toxicity:

Information on components:

9036-19-5 Polyethylene glycol octylphenyl ether

EC50/48h 18-26 mg/l (Daphnia) LC50/96h 4-8.9 mg/l (Pimephales promelas)

· Persistence and degradability Data not available

· Behavior in environmental systems:

· Bioaccumulative potential Data not available

· Mobility in soil Data not available

· Ecotoxical effects:

· Remark:

Substance " sulphuric acid" is slightly hazardous for water and ground water.

Can lead to changes in pH and deterioration of aquatic life.

· Additional ecological information:

· General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Disposal procedures have to be respected, see Section 13.

• Other adverse effects No further relevant information available.

13: Disposal considerations

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Primary packaging: Plastic vial (composed of polyethylene high density)

14: Transport information			
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not applicable		
	-		
· UN proper shipping name · DOT, ADN, IMDG, IATA	_		
$\cdot ADR$	-		
· Transport hazard class(es)			
· DOT, ADR, ADN, IMDG, IATA · Class	_		
· Packing group			
· DOT, ADR, IMDG, IATA	-		
· Environmental hazards:			
· Marine pollutant:	No		
· Special precautions for user	Not applicable.		
· Transport in bulk according to Annex II of MARPOL73/78 and the			
IBC Code	Not applicable.		
· UN "Model Regulation":	-		

15: Regulatory information

· SARA

· Section 302/304 (40CFR355.30 / 40CFR355.40): 7664-93-9 sulfuric acid

· Section 313 (Specific toxic chemical listings): Not regulated.

(Contd. of page 4)

Reviewed on 09/08/2015

· IARC (International Agency for Research on Cancer)

A2

Reviewed on 09/08/2015

Safety Data Sheet acc. to OSHA HCS

Printing date 09/08/2015

Trade name: PHOSPHORUS Reagent

- (Contd. of page 5) • TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA. • Proposition 65
- · Chemicals known to cause cancer: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity: None of the ingredient is listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency) None of the ingredient is listed.
- · TLV (Threshold Limit Value established by ACGIH)

7664-93-9 sulfuric acid

- · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredient is listed.
- \cdot OSHA-Ca (Occupational Safety & Health Administration) None of the ingredient is listed.
- · U. S. State Regulations:

• *PA-RTK* 7664-93-9 sulfuric acid

· NJ-RTK

7664-93-9 sulfuric acid

· MA-RTK

7664-93-9 sulfuric acid

· RI-RTK

7664-93-9 sulfuric acid

• US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. · Department issuing MSDS: Product safety department Contact: Product safety department · Abbreviations and acronyms: SVHC : Substances of Very High Concern ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOEC : No Observed Effect Concentration EC50: Effective concentration, 50 percent ICS0 : Inhibitory concentration, 50 percent. Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eve Dam, 1: Serious eve damage/eve irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 \cdot * Data compared to the previous version altered. USA