

SECTION 1: Identification

Aerospray TB Reagent B: Brilliant Green

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.1. Iden	ntification			
Product form		Mixture		
Product name		: Aerospray TB Reagent B: Brilliant Green		
Product code	2 :	: SS-061BBG, SS-061BBG-EU, or SS-161BBG diluted with water and ethanol		
1.2. Relevant identified uses of the substance or mixture and uses advised against		nixture and uses advised against		
Use of the sub	ibstance/mixture :	Laboratory chemical		
ELITechGroup I 370 West 1700 Logan, UT 8432 T +1 (435) 752-	0 South	t		
1.4. Eme Emergency nι	ergency telephone number number :	Contact your distributor or poison control center in your country. InfoTrac Emergency Response: Calls within the USA, phone: 1-800-535-5053. Calls outside the USA, phone: +1 352-323-3500 (call collect) Customer ID: #90104 (NOTE: this number is required when a customer calls into either phone number above).		
SECTION 2:	Hazard(s) identification			

2.1. Classification of the substance or mixture

GHS US classification

Flam. Liq. 3 H226 - Flammable liquid and vapor Skin Sens. 1 H317 - May cause an allergic skin reaction

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)



H317 - May cause an allergic skin reaction

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed.

- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing mist, spray, vapors.
- P280 Wear protective gloves, protective clothing, eye protection.
- P302+P352 If on skin: Wash with plenty of soap and water.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use ABC-powder, alcohol resistant foam, BC-powder, carbon dioxide (CO2), D-powder to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Brilliant Green	(CAS-No.) 633-03-4	< 0.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritatio or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.	
4.2. Most important symptoms and effects, both	acute and delayed	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Symptoms/effects after inhalation	May cause an allergic skin reaction.	
Symptoms/effects after skin contact	May cause an allergic skin reaction.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTI	ON 5: Firefighting measures	
5.1.	Extinguishing media	
Suitat	ole extinguishing media	: ABC powder. Alcohol-resistant foam. BC powder. Carbon dioxide. Dry powder. Foam. Water spray. Sand.
Unsui	table extinguishing media	: Do not use a heavy water stream.
5.2.	Special hazards arising from the	substance or mixture
Fire h	azard	: Flammable liquid and vapor.
Explo	sion hazard	: May form flammable/explosive vapor-air mixture.
React	ivity	: Flammable liquid and vapor.
5.3.	Advice for firefighters	
Firefi	shting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical Prevent fire-fighting water from entering environment.
Prote	ction during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do no attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTIO	N 6: Accidental release measures		
6.1.	Personal precautions, protective equipment and emergency procedures		
Genera	l measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames.	
6.1.1.	For non-emergency personnel		
Emerge	ency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.	
6.1.2.	For emergency responders		
Protect	tive equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew w protection. For further information refer to section 8: "Exposure controls/personal protection	
Emerge	ency procedures	: Ventilate area.	
6.2.	Environmental precautions		
Avoid re	ease to the environment. Prevent entry to	sewers and public waters. Notify authorities if liquid enters sewers or public waters.	
6.3.	Methods and material for containment	and cleaning up	
Metho	ds for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. N authorities if product enters sewers or public waters.	

Other information	:	: Dispose of materials or solid residues at an authorized site.

6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use only non-sparking tools.
Ctorago conditions	. Keep only in existing container, Keep container tightly closed. Store in a well wentilated place. Keep

Storage conditions	 Keep only in original container. Keep container tightly closed. Store in a well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. **Exposure controls**

Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Avoid all unnecessary exposure.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection	: Wear protective gloves. Suitable gloves should be tested to EN 374. The glove material has to be impermeable and resistant to the product/the substance/the preparation. As the product is a preparation of several substances, the resistance and penetration time/breakthrough time of the glove material cannot be calculated/observed in advance and, therefore, has to be checked prior to the application. The following are recommended: materials - natural latex or nitrile; thickness - 4 to 6 mils (0.1 mm - 0.15 mm); minimum breakthrough time - 60 minutes.
Eye protection	: Chemical goggles or safety glasses. Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.
SECTION OF Developed and chamical are	nontine

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemica	al pr	operties
Physical state	:	Liquid
Color	:	Green
Odor	:	Characteristic
Odor threshold	:	No data available
рН	:	3.85 (3.7 – 4)
Melting point	:	Not applicable
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	≈ 47.8 (43.3 – 52.2) °C
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Solubility	:	Water: No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

LD50 oral rat	674 mg/kg body weight (Equivalent or similar to OECD 423, Rat, Male / female, Read-across, Oral, 14 day(s)
LD50 dermal rat	> 2000 mg/kg body weight (Rat, Read-across, Dermal, 14 day(s))
ATE US (oral)	674 mg/kg body weight
Skin corrosion/irritation	: Not classified
	pH: 3.85 (3.7 – 4)
Serious eye damage/irritation	: Not classified
	pH: 3.85 (3.7 – 4)
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
ECTION 12: Ecological information	
2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse eff

ology -	general	

environment.

Brilliant Green (633-03-4)	
LC50 fish 1	0.0305 mg/l (96 h, Lepomis macrochirus, Fresh water)
EC50 Daphnia 1	0.079 mg/l (96 h, Invertebrata, Fresh water)
ErC50 (algae)	1.7913 mg/l (7 day(s), Lemna gibba, Nominal concentration)

12.2. Persistence and degradability

Aerospray TB Reagent B: Brilliant Green		
Persistence and degradability Not established.		
Brilliant Green (633-03-4)		
Persistence and degradability	Not readily biodegradable in water.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

· · · · · · · · · · · · · · · · · · ·		
Aerospray TB Reagent B: Brilliant Green		
Bioaccumulative potential Not established.		
Brilliant Green (633-03-4)		
Partition coefficient n-octanol/water (Log Pow)	0.7647 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

12.4. Mobility in soil

Brilliant Green (633-03-4)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

SECTION 13: Disposal considerations

Other information

: Avoid release to the environment.

reatment methods		
	:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
/Packaging disposal recommendations	:	Dispose in a safe manner in accordance with local/national regulations.
nal information	:	Handle empty containers with care because residual vapors are flammable. Flammable vapors may accumulate in the container.
- waste materials	:	Avoid release to the environment.
N 14: Transport information		
ent of Transportation (DOT)		
ance with DOT		
ort document description	:	UN1170 Ethyl alcohol solutions, 3, III
(DOT)	:	UN1170
Shipping Name (DOT)	:	Ethyl alcohol solutions
OT)	:	3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
labels (DOT)	:	3 - Flammable liquid
		remarket liquid
group (DOT)	:	III - Minor Danger
ckaging Non Bulk (49 CFR 173.xxx)	:	203
ckaging Bulk (49 CFR 173.xxx)	:	242
	- waste materials N 14: Transport information ent of Transportation (DOT) ance with DOT ort document description (DOT) Shipping Name (DOT) OT) labels (DOT) group (DOT) ckaging Non Bulk (49 CFR 173.xxx)	ral information : - waste materials : N 14: Transport information ent of Transportation (DOT) ance with DOT ort document description : (DOT) : Shipping Name (DOT) : DT) : labels (DOT) : group (DOT) : ckaging Non Bulk (49 CFR 173.xxx) :

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group II. B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b, 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1170
Proper Shipping Name (IMDG)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 1170
Proper Shipping Name (IATA)	: Ethanol solution
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Brilliant Green (633-03-4)	
Listed on the United States TSCA (Toxic Substances Control	Act) inventory

15.2. International regulations

CANADA

Brilliant Green (633-03-4) Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Brilliant Green (633-03-4)	
U.S Massachusetts - Right To Know List	
-	

SECTION 16: Other information

Other information

: None.

Full text of H-phrases:

H226	Flammable liquid and vapor
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage

SDS US Custom - EBS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Reason For Change: updated to latest GHS format and classifications to meet compliance. Added Prop 65 information to Section 15.