Aerospray® Hematology Stat Reagent A, Basofix™ Rinse

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : Aerospray® Hematology Stat Reagent A, Basofix™ Rinse
Product code : SS-049A or SS-135/149A diluted with water, ethanol, and methanol

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laboratory chemical
Recommended use : Professional use only

1.4. Supplier's details

ELITechGroup Inc.
370 West 1700 South
Logan, UT, Cache, 84321
USA
T +1 (435) 752-6011 - F +1 (435) 752-4127
qara_ebs@elitechgroup.com - www.elitechgroup.com

1.5. Emergency phone number

Emergency number : Contact your distributor or poison control center in your country.
InfoTrac Emergency Response: Calls within the USA, phone: 1-800-535-5053. Calls outside the USA, phone: +1 352-323-3500 (call collect)
Customer ID: #90104 (NOTE: this number is required when a customer calls into either phone number above).

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Specific target organ toxicity — Single exposure, Category 1 H370 Causes damage to organs (Inhalation, Dermal, oral).
Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H370 - Causes damage to organs (Inhalation, Dermal, oral).
Precautionary statements (GHS US) : P260 - Do not breathe mist, spray, vapors, fume.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P308+P311 - If exposed or concerned: Call a doctor, a POISON CENTER.

P501 - Dispose of hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
methanol	CAS-No.: 67-56-1	< 5	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 STOT SE 1, H370
formaldehyde	CAS-No.: 50-00-0	< 0.1	Flam. Gas 1, H220 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 2 (Inhalation:gas), H330 Skin Sens. 1A, H317 Muta. 2, H341 Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact	:	Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders.	:	First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met.
Symptoms/effects	:	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	:	May cause respiratory irritation.
Symptoms/effects after skin contact	:	May cause an allergic skin reaction.
Symptoms/effects after eye contact	:	None under normal conditions. May cause eye irritation.
Symptoms/effects after ingestion	:	None under normal conditions. May be harmful if swallowed.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	:	Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	:	ABC powder. Alcohol-resistant foam. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	:	No fire hazard.
Explosion hazard	:	No direct explosion hazard.
Hazardous decomposition products in case of fire	:	Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	:	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	:	Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	:	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

For non-emergency personnel

Protective equipment	:	Wear recommended personal protective equipment.
Emergency procedures	:	Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe dust/fume/gas/mist/vapors/spray.

© ELITechGroup Inc.

For emergency responders

Protective equipment	:	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	:	Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.
Environmental precautions	:	Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment	:	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	:	Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	:	Dispose of materials or solid residues at an authorized site.

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	:	Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe dust/fume/gas/mist/vapors/spray.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed	:	Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including incompatibilities

Technical measures	:	Keep in a cool, well-ventilated place away from heat.
Storage conditions	:	Keep only in original container. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.
Incompatible products	:	Strong bases. Strong acids.
Incompatible materials	:	Sources of ignition. Direct sunlight.
Packaging materials	:	Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Aerospray® Hematology Stat Reagent A, Basofix™ Rinse	
USA - ACGIH® - Threshold Limit Values	
Local name	Formaldehyde
ACGIH® TLV® TWA	0.12 mg/m³
	0.1 ppm
ACGIH® TLV® STEL	0.37 mg/m³
	0.3 ppm

Aerospray® Hematology Stat Reagent A, Basofix™ Rinse	
Remark (ACGIH®)	TLV® Basis: URT & eye irr; URT cancer. Notations: DSEN; RSEN; A1 (Confirmed Human Carcinogen)
Regulatory reference	ACGIH 2025
USA - ACGIH® - Biological Exposure Indices	
Local name	Methanol
BEI (BLV)	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: End of shift - Notations: B, Ns
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA	1900 mg/m³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

methanol (67-56-1)	
USA - ACGIH® - Threshold Limit Values	
Local name	Methanol
ACGIH® TLV® TWA	262 mg/m³
	200 ppm
ACGIH® TLV® STEL	328 mg/m³
	250 ppm
Remark (ACGIH®)	Headache; eye dam; dizziness; nausea
Regulatory reference	ACGIH 2025
USA - ACGIH® - Biological Exposure Indices	
Local name	Methanol
BEI (BLV)	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: End of shift - Notations: B, Ns
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Methyl alcohol
OSHA PEL TWA	260 mg/m³
	200 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

formaldehyde (50-00-0)	
USA - ACGIH® - Threshold Limit Values	
Local name	Formaldehyde
ACGIH® TLV® TWA	0.12 mg/m³
	0.1 ppm
ACGIH® TLV® STEL	0.37 mg/m³

formaldehyde (50-00-0)	
	0.3 ppm
Remark (ACGIH®)	URT & eye irr
Regulatory reference	ACGIH 2025

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:
Avoid all unnecessary exposure.

Materials for protective clothing:
Wear protective clothing

Hand protection:				
Wear protective gloves. Wear protective gloves.				
Type	**Material**	**Permeation**	**Thickness (mm)**	**Penetration**
Disposable gloves	Latex, Nitrile rubber (NBR)	3 (> 60 minutes)	0.1 - 0.15	

Eye protection:
Chemical goggles or safety glasses

Skin and body protection:
Wear suitable protective clothing

Respiratory protection:
Respiratory protection not required in normal conditions. Wear suitable respiratory equipment in case of insufficient ventilation.

Personal protective equipment symbol(s):



Other information:
Do not eat, drink or smoke during use.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid
Color : Pink
Odor : Characteristic
Odor threshold : No data available
pH : 6 (5.8 – 6.2)
Melting point : Not applicable
Freezing point : No data available

Boiling point	:	No data available
Flash point	:	> 93.3 °C
Flammability (solid, gas)	:	Non flammable.
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	No data available
Solubility	:	Water: No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Explosion limits	:	No data available
Particle characteristics	:	No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid ignition sources. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

methanol (67-56-1)	
LD50 oral rat	1187 – 2769 mg/kg body weight (BASF test, Rat, Male / female, Experimental value, 15-35 % aqueous solution, Oral, 7 day(s))
LD50 oral	101.01 mg/kg (Acute toxicity, Oral, Estimate)
LC50 Inhalation - Rat	3.03 mg/l air (BASF test, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours))

© ELITechGroup Inc.

methanol (67-56-1)	
ATE US (oral)	101.01 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3.03 mg/l/4h
ATE US (dust, mist)	3.03 mg/l/4h

formaldehyde (50-00-0)	
LD50 oral rat	800 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, 2 % aqueous solution, Oral, 14 day(s))
ATE US (oral)	800 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	100 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

Skin corrosion/irritation : Not classified
pH: 6 (5.8 – 6.2)

methanol (67-56-1)	
pH	No data available in the literature

formaldehyde (50-00-0)	
pH	2.8 – 4 (37 %)

Serious eye damage/irritation : Not classified
pH: 6 (5.8 – 6.2)

methanol (67-56-1)	
pH	No data available in the literature

formaldehyde (50-00-0)	
pH	2.8 – 4 (37 %)

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

formaldehyde (50-00-0)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	Known Human Carcinogens

Reproductive toxicity : Not classified

methanol (67-56-1)	
NOAEL (animal/male, F0/P)	< 1000 mg/kg body weight (Animal: mouse, Animal sex: male)

STOT-single exposure : Causes damage to organs (Inhalation, Dermal, oral).

methanol (67-56-1)	
STOT-single exposure	Causes damage to organs.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

methanol (67-56-1)	
Viscosity, kinematic	0.68 – 0.747 mm²/s
formaldehyde (50-00-0)	
Viscosity, kinematic	No data available in the literature

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : None under normal conditions. May cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions. May be harmful if swallowed.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect)
EC50 96h - Algae [1]	22000 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

formaldehyde (50-00-0)	
LC50 - Fish [1]	6.7 mg/l (96 h, Morone saxatilis, Static system, Salt water, Experimental value, Lethal)
EC50 - Crustacea [1]	5.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia pulex, Static system, Fresh water, Experimental value, Locomotor effect)
LC50 - Fish [2]	62 (62 – 109) mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 72h - Algae [1]	3.48 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	4.89 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	4.89 – 6.61 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
NOEC chronic fish	≥ 48 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'

12.2. Persistence and degradability

Aerospray® Hematology Stat Reagent A, Basofix™ Rinse	
Persistence and degradability	Not established.

methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in the soil, Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.6 – 1.1 g O_2/g substance
Chemical oxygen demand (COD)	1.4 g O_2/g substance
ThOD	1.5 g O_2/g substance

formaldehyde (50-00-0)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.64 g O_2/g substance
Chemical oxygen demand (COD)	1.06 g O_2/g substance
ThOD	1.068 g O_2/g substance

12.3. Bioaccumulative potential

Aerospray® Hematology Stat Reagent A, Basofix™ Rinse	
Bioaccumulative potential	Not established.

methanol (67-56-1)	
BCF - Fish [1]	1 – 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	-0.77 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

formaldehyde (50-00-0)	
BCF - Fish [1]	< 1 (1 h, Flow-through system, Salt water, Weight of evidence)
Partition coefficient n-octanol/water (Log Pow)	0.35 (Calculated, KOWWIN, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

methanol (67-56-1)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-0.89 – -0.21 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

formaldehyde (50-00-0)	
Surface tension	73 mN/m (20 °C, Aqueous solution, 7.5 g/l)
Ecology - soil	Not applicable (gas). Toxic to flora.

© ELITechGroup Inc.

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

Other information : Avoid release to the environment.

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.
Ecological waste information : Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not regulated
Proper Shipping Name (TDG) : Not regulated
Proper Shipping Name (IMDG) : Not regulated
Proper Shipping Name (IATA) : Not regulated

14.3. Transport hazard class(es)

DOT
Transport hazard class(es) (DOT) : Not regulated

TDG
Transport hazard class(es) (TDG) : Not regulated

IMDG
Transport hazard class(es) (IMDG) : Not regulated

IATA
Transport hazard class(es) (IATA) : Not regulated

14.4. Packing group

Packing group (DOT) : Not regulated
Packing group (TDG) : Not regulated
Packing group (IMDG) : Not regulated
Packing group (IATA) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

© ELITechGroup Inc.

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT
Not regulated

TDG
Not regulated

IMDG
Not regulated

IATA
Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.		
methanol	CAS-No. 67-56-1	< 5%
formaldehyde	CAS-No. 50-00-0	< 0.1%

methanol (67-56-1)	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb

formaldehyde (50-00-0)	
Listed on EPA Hazardous Air Pollutant (HAPS) Listed on EPA HAPs Chronic Dose Response Assessment List - Carcinogens Listed on EPA HAPs Acute Dose Response Assessment List – Exposure limits	
CERCLA RQ	100 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb

15.2. International regulations

CANADA

Aerospray® Hematology Stat Reagent A, Basofix™ Rinse
Listed on the Canadian DSL (Domestic Substances List)

methanol (67-56-1)
Listed on the Canadian DSL (Domestic Substances List)

formaldehyde (50-00-0)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

formaldehyde (50-00-0)
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on EPA HAPs Chronic Dose Response Assessment List - Carcinogens Listed on EPA HAPs Acute Dose Response Assessment List – Exposure limits Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

WARNING: This product can expose you to chemicals including Formaldehyde (gas), which is known to the State of California to cause cancer, and methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
methanol(67-56-1)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List
formaldehyde(50-00-0)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Other information : None.

Full text of hazard classes and H-statements	
H220	Extremely flammable gas
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H331	Toxic if inhaled

Full text of hazard classes and H-statements	
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H370	Causes damage to organs.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Reason for change: correcting component data and updating product GHS classification.

© ELITechGroup Inc.