

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

1.1.	Identification		
Product form		: Mixture	
Product name		: Hematology Reagent A: Basofix Rinse	
Product code		SS-049A, SS-049A-EU, or SS-135/149A diluted with water, ethanol, and methanol.	
1.2.	2. Relevant identified uses of the substance or mixture and uses advised against		
Use of	the substance/mixture	: Laboratory chemical	
1.3.	Details of the supplier of the safety data sheet		
ELITech	Group Inc.		
370 We	st 1700 South		
Logan, l	JT 84321 - USA		
T +1 (43	5) 752-6011 - F +1 (435) 752-4127		
qara_eb	s@elitechgroup.com - www.elitechgroup.com		
1.4.	Emergency telephone number		
Emerg	ency number	: Contact your distributor or poison control center in your country. InfoTrac Emergency Response: Calls within the USA, phone: 1-800-535-5053. Calls outside the USA, phone: +1 352-323-3500 (call collect)	

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

STOT SE 1 H370 - Causes damage to organs (Inhalation, Dermal, oral)

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



above).

	01508
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: H370 - Causes damage to organs (Inhalation, Dermal, oral)
Precautionary statements (GHS US)	: P260 - Do not breathe mist, spray, vapors, fumes.
	P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing, eye protection.

P308+P311 - If exposed or concerned: Call a doctor, a POISON CENTER.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Customer ID: #90104 (NOTE: this number is required when a customer calls into either phone number

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
methanol	(CAS-No.) 67-56-1	< 5	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 STOT SE 1, H370
formaldehyde	(CAS-No.) 50-00-0	< 0.1	Flam. Gas 1, H220 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1A, H350

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.	
4.2. Most important symptoms and effects,	both acute and delayed	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTIO	N 5: Firefighting measures		
5.1.	Extinguishing media		
Suitable extinguishing media		: Water spray. Dry powder. Foam. Carbon dioxide.	
Unsuitable extinguishing media		: Do not use a heavy water stream.	
5.2.	Special hazards arising from the substance or mixture		
Reactivity		: The product is non-reactive under normal conditions of use, storage and transport.	
5.3.	Advice for firefighters		
Firefighting instructions		: Use water spray or fog for cooling exposed containers. Exercise caution when fighting a Prevent fire-fighting water from entering environment.	iny chemical fire.
Protection during firefighting		: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTIO	N 6: Accidental release measures		
6.1.	Personal precautions, protective equipment and emergency procedures		
6.1.1.	For non-emergency personnel		
Emerge	ency procedures	: Ventilate spillage area. Only qualified personnel equipped with suitable protective equi intervene. Do not breathe dust/fume/gas/mist/vapors/spray.	pment may
6.1.2.	For emergency responders		
Protective equipment		: Do not attempt to take action without suitable protective equipment. For further inform section 8: "Exposure controls/personal protection".	nation refer to
Emergency procedures		: Ventilate area.	
SDS-00050B.docx		Page 2 of 8	©ELITechGroup Inc.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment an	Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.			
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.			
7.2. Conditions for safe storage, including any	incompatibilities			
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.			
Incompatible products	Strong bases. Strong acids.			

Incompatible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

methanol (67-56-1)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	250 ppm
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
OSHA	OSHA PEL (TWA) (mg/m ³)	260 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
formaldahuda (FO 00 0)		

formaldehyde (50-00-0)		
ACGIH	ACGIH TWA (ppm)	0.1 ppm
ACGIH	ACGIH STEL (ppm)	0.3 ppm
ACGIH	Remark (ACGIH)	URT & eye irr

8.2. Exposure controls

Appropriate engineering controls Personal protective equipment	Ensure good ventilation of the work station.Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves. Suitable gloves should be tested to EN 374. The glove material has to be impermeable and resistant to the product/the substance/the preparation. As the product is a preparation of several substances, the resistance and penetration time/breakthrough time of the glove material cannot be calculated/observed in advance and, therefore, has to be checked prior to the application. The following are recommended: materials - natural latex or nitrile; thickness - 4 to 6 mils (0.1 mm - 0.15 mm); minimum breakthrough time - 60 minutes.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Wear respiratory protection.
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

5.1. Information on basic physical and then	lical properties
Physical state	: Liquid
Color	: Pink
Odor	: Characteristic
Odor threshold	: No data available
рН	: 6 (5.8 – 6.2)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >93.3 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: Water: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

methanol (67-56-1)				
LD50 oral rat	1187 – 2769 mg/kg body weight (BASF test, Rat, Male / female, Experimental value, Aqueous solution, Oral, 7 day(s))			
LC50 Inhalation - Rat	3.03 mg/l air (BASF test, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours))			
ATE US (oral)	101.01 mg/kg body weight			
ATE US (dermal)	300 mg/kg body weight			
ATE US (gases)	700 ppmV/4h			
ATE US (vapors)	3.03 mg/l/4h			
ATE US (dust, mist)	3.03 mg/l/4h			
formaldehyde (50-00-0)				
LD50 oral rat	800 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, 2% aqueous solution, Oral, 14 day(s))			
ATE US (oral)	100 mg/kg body weight			
ATE US (dermal)	300 mg/kg body weight			
ATE US (gases)	700 ppmV/4h			
ATE US (vapors)	3 mg/l/4h			
ATE US (dust, mist)	0.5 mg/l/4h			
Skin corrosion/irritation	: Not classified			
	pH: 6 (5.8 – 6.2)			
Serious eye damage/irritation	: Not classified			
	pH: 6 (5.8 – 6.2)			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
	Based on available data, the classification criteria are not met			
Carcinogenicity	: Not classified			
formaldehyde (50-00-0)				
IARC group	1 - Carcinogenic to humans			
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens			
Reproductive toxicity	: Not classified			
	Based on available data, the classification criteria are not met			
STOT-single exposure	: Causes damage to organs (Inhalation, Dermal, oral).			
STOT-single exposure	. Causes damage to organs (minalation, Dermal, oral).			
STOT-repeated exposure	: Not classified			
Aspiration hazard	: Not classified			
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.			
Symptoms/effects after inhalation	: May cause respiratory irritation.			
Symptoms/effects after skin contact	: May cause an allergic skin reaction.			
זיוויזיבויבנגי מונה זאוו נטוונמנו . ואמץ נמטפר מו מוכוצוג זאוו ובמנוטוו.				

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

methanol (67-56-1)				
LC50 fish 1	15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)			
EC50 Daphnia 1	18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect)			
NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'			
formaldehyde (50-00-0)				
LC50 fish 1	6.7 mg/l (96 h, Morone saxatilis, Static system, Salt water, Experimental value, Lethal)			
EC50 Daphnia 1	5.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia pulex, Static system, Fresh water, Experimental value, Locomotor effect)			
LC50 fish 2	62 (62 – 109) mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

formaldehyde (50-00-0)		
ErC50 (algae)	4.89 – 6.61 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)	
NOEC chronic fish	≥ 48 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'	

12.2. Persistence and degradability

Hematology Reagent A: Basofix Rinse		
Persistence and degradability	Not established.	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.6 – 1.12 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance	
ThOD	1.5 g O ₂ /g substance	
formaldehyde (50-00-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.64 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.06 g O ₂ /g substance	
ThOD	1.068 g O ₂ /g substance	

12.3. Bioaccumulative potential

Hematology Reagent A: Basofix Rinse			
Bioaccumulative potential Not established.			
methanol (67-56-1)			
BCF fish 1	1 – 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value)		
Partition coefficient n-octanol/water (Log Pow)	-0.77 (Experimental value)		
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).			
formaldehyde (50-00-0)			
BCF fish 1	< 1 (1 h, Flow-through system, Salt water, Weight of evidence)		
Partition coefficient n-octanol/water (Log Pow)	0.35 (Calculated, KOWWIN, 25 °C)		
Bioaccumulative potential	Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		

12.4. Mobility in soil

nethanol (67-56-1)		
Surface tension	No data available in the literature	
Partition coefficient n-octanol/water (Log Koc)	-0.89 – -0.21 (log Koc, Calculated value)	
Ecology - soil	Highly mobile in soil.	
formaldehyde (50-00-0)		
Surface tension	73 mN/m (20 °C, Aqueous solution, 7.5 g/l)	
cology - soil Not applicable (gas). Toxic to flora.		

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Ecology - waste materials : Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

Transportation of Dangerous Goods

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

methanol (67-56-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	5000 lb	
SARA Section 313 - Emission Reporting	1%	
formaldehyde (50-00-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	100 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb	
SARA Section 313 - Emission Reporting 1%		

15.2. International regulations

CANADA

methanol (67-56-1)	
Listed on the Canadian DSL (Domestic Substances List)	
formaldehyde (50-00-0)	
Tormaldenyde (50-00-0)	

EU-Regulations

No additional information available

National regulations

methanol (67-56-1)	
Listed on EPA Hazardous Air Pollutant (HAPS)	
formaldehyde (50-00-0)	
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on EPA Hazardous Air Pollutant (HAPS)	

15.3. US State regulations

This product can expose you to formaldehyde, which is known to the State of California to cause cancer, and methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

methanol (67-56-1)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	
U.S California - Proposition 65 - Other information		NSRL: 23,000 µg/day (oral); 47,000 µg/day (inhalation)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

formaldehyde (50-00-0)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
Yes	No	No	No	40 µg/day	
methanol (67-56-1)					
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List					
formaldehyde (50-00-0)					
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List					

SECTION 16: Other information

Other information

: None.

Full text of H-phrases:

H220	Extremely flammable gas
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H370	Causes damage to organs

SDS US Custom - EBS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Reason For Change: updated to latest GHS format and classifications to meet compliance. Added Prop 65 information to Section 15.