

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product form	: Mixture
Product name	: Aerospray® Hematology Stat Reagent C, Eosin Stain Concentrate
Product code	: SS-135/149C
Product group	: Trade product

1.2.1. Relevant identified uses

Industrial/Professional use spec Use of the substance/mixture For professional use onlyLaboratory chemical

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ELITechGroup Inc. 370 West 1700 South US– 84321 Logan, UT – Cache USA T +1 (435) 752-6011 - F +1 (435) 752-4127 qara_ebs@elitechgroup.com - www.elitechgroup.com

1.4. Emergency telephone number

Emergency number : Contact your distributor or poison control center in your country. InfoTrac Emergency Response: Calls within the USA, phone: 1-800-535-5053. Calls outside the USA, phone: +1 352-323-3500 (call collect) Customer ID: #90104 (NOTE: this number is required when a customer calls into either phone number above).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

EUH208 - Contains formaldehyde (50-00-0). May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
eosine yellow (17372-87-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
formaldehyde (50-00-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
eosine yellow	CAS-No.: 17372-87-1 EC-No.: 241-409-6	< 5	Eye Irrit. 2, H319
formaldehyde substance with a Community workplace exposure limit	CAS-No.: 50-00-0 EC-No.: 200-001-8	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
formaldehyde	CAS-No.: 50-00-0 EC-No.: 200-001-8	(0.2 ≤C < 100) Skin Sens. 1, H317 (5 ≤C < 25) Skin Irrit. 2, H315 (5 ≤C < 25) Eye Irrit. 2, H319 (5 ≤C < 100) STOT SE 3, H335 (25 ≤C < 100) Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you fe advice (show the label where possible).	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. <i>A</i> breathe fresh air. Allow the victim to rest.	Allow affected person to
SDS-00055-ENC.doc		© ELITechGroup Inc.
Release Date: 2023-09-12	EU-EN	2/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878		
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and e	ffects, both acute and delayed	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.			
5.2. Special hazards arising from the subst	5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.			
5.3. Advice for firefighters				
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.			
Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 			

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipn	nent and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Store in a well-ventilated place. Keep cool.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

formaldehyde (50-00-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	0.37 mg/m³ (Limit value of 0.62 mg/m3 or 0.5 ppm (3) for the health care, funeral and embalming sectors until 11 July 2024)	
IOEL TWA [ppm]	0.3 ppm	
IOEL STEL	0.74 mg/m³	
IOEL STEL [ppm]	0.6 ppm	
Belgium - Occupational Exposure Limits		
OEL STEL	0.38 mg/m ³ (The word "M" indicates that when exposure exceeds the limit value, irritations appear or a danger of acute intoxication exists. The work process must be designed in such a way that the exposure never exceeds the limit value. When making measurements, the sampling period should be as short as possible in order to be able to make reliable measurements. The result of the measurements is calculated according to the sampling period.)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

formaldehyde (50-00-0)		
OEL STEL [ppm]	0.3 ppm (The word "M" indicates that when exposure exceeds the limit value, irritations appear or a danger of acute intoxication exists. The work process must be designed in such a way that the exposure never exceeds the limit value. When making measurements, the sampling period should be as short as possible in order to be able to make reliable measurements. The result of the measurements is calculated according to the sampling period.)	
France - Occupational Exposure Limits		
VME (OEL TWA)	0.37 mg/m³ 0.62 mg/m³ (Limit value for the healthcare, funeral and embalming sectors)	
VME (OEL TWA) [ppm]	0.3 ppm 0.5 ppm (Limit value for the healthcare, funeral and embalming sectors)	
VLE (OEL C/STEL)	0.74 mg/m³	
VLE (OEL C/STEL) [ppm]	0.6 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	0.15 mg/m³ (Skin sensitization)	
TGG-8u (OEL TWA) [ppm]	0.12 ppm	
TGG-15min (OEL STEL)	0.5 mg/m³	
TGG-15min (OEL STEL) [ppm]	0.4 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	2.5 mg/m³	
WEL TWA (OEL TWA) [2]	2 ppm	
WEL STEL (OEL STEL)	2.5 mg/m³	
WEL STEL (OEL STEL) [ppm]	2 ppm	
USA - ACGIH - Occupational Exposure Limits		
Local name	Formaldehyde	
ACGIH OEL TWA [ppm]	0.1 ppm	
ACGIH OEL STEL [ppm]	0.3 ppm	
Remark (ACGIH)	URT & eye irr	
Regulatory reference	ACGIH 2022	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Wear protective gloves. Suitable gloves should be tested to EN 374. The glove material has to be impermeable and resistant to the product/the substance/the preparation. As the product is a preparation of several substances, the resistance and penetration time/breakthrough time of the glove material cannot be calculated/observed in advance and, therefore, has to be checked prior to the application. The following are recommended: materials - natural latex or nitrile; thickness - 4 to 6 mils (0.1 mm - 0.15 mm); minimum breakthrough time - 60 minutes.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	Red	
Ddour	: Characteristic	
Ddour threshold	: Not available	
/lelting point	: Not applicable	
Freezing point	Not available	
Boiling point	: > 100 °C	
Flammability	: Non flammable.	
DS-00055-ENC.doc		© ELITechGroup Inc

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 100 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Water: No data available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1 g/cm³
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)

- : Not classified
- : Not classified : Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 oral rat	800 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value 2% aqueous solution, Oral, 14 day(s))	
Skin corrosion/irritation Additional information	: Not classified : Based on available data, the classification criteria are not met	
formaldehyde (50-00-0)		
рН	2.8 – 4 (37 %)	
Serious eye damage/irritation Additional information	: Not classified : Based on available data, the classification criteria are not met	
formaldehyde (50-00-0)		
рН	2.8 – 4 (37 %)	
Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 	
formaldehyde (50-00-0)		
IARC group	1 - Carcinogenic to humans	
Reproductive toxicity Additional information STOT-single exposure Additional information STOT-repeated exposure Additional information Aspiration hazard Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 	
formaldehyde (50-00-0)		
Viscosity, kinematic	No data available in the literature	
11.2. Information on other hazards		
 11.2.1. Endocrine disrupting properties No additional information available 11.2.2. Other information Potential adverse human health effects and symptoms 	: Based on available data, the classification criteria are not met	

SECTION 12: Ecological information		
erse		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

eosine yellow (17372-87-1)		
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
EC50 72h - Algae [1]	51.3 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Growth rate)	
formaldehyde (50-00-0)		
LC50 - Fish [1]	6.7 mg/l (96 h, Morone saxatilis, Static system, Salt water, Experimental value, Lethal)	
LC50 - Fish [2]	62 (62 – 109) mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)	
EC50 - Crustacea [1]	5.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia pulex, Static system, Fresh water, Experimental value, Locomotor effect)	
EC50 72h - Algae [1]	3.48 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	4.89 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
ErC50 algae	4.89 – 6.61 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)	
NOEC chronic fish	≥ 48 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'	

12.2. Persistence and degradability

erospray® Hematology Stat Reagent C, Eosin Stain Concentrate		
Persistence and degradability	Not established.	
eosine yellow (17372-87-1)		
Persistence and degradability	Readily biodegradable in water.	
formaldehyde (50-00-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.64 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.06 g O ₂ /g substance	
ThOD	1.068 g O ₂ /g substance	

12.3. Bioaccumulative potential

Aerospray® Hematology Stat Reagent C, Eosin Stain Concentrate	
Bioaccumulative potential	Not established.
eosine yellow (17372-87-1)	
Partition coefficient n-octanol/water (Log Pow)	-1.68 (Estimated value, KOWWIN)
Bioaccumulative potential	Not bioaccumulative.
SDS-00055-ENC.doc	© ELITechGroup Inc.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

formaldehyde (50-00-0)	
BCF - Fish [1]	< 1 (1 h, Flow-through system, Salt water, Weight of evidence)
Partition coefficient n-octanol/water (Log Pow)	0.35 (Calculated, KOWWIN, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

eosine yellow (17372-87-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.024 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Highly mobile in soil.
formaldehyde (50-00-0)	
Surface tension	73 mN/m (20 °C, Aqueous solution, 7.5 g/l)
Ecology - soil	Not applicable (gas). Toxic to flora.

12.5. Results of PBT and vPvB assessment

Component	
eosine yellow (17372-87-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
formaldehyde (50-00-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects	
Additional information	: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID numbe	r	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	Not applicableNot applicableNot applicable	
SDS-00055-ENC.doc		© ELITechGroup Inc.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

g	
UN-No. (ADN) UN-No. (RID)	: Not applicable : Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
ADN Transport hazard class(es) (ADN)	: Not applicable
RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: No : No : No supplementary information available
14.6. Special precautions for user	
Overland transport Not applicable	
Transport by sea Not applicable	
Air transport Not applicable	
Inland waterway transport	

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 43	Diseases caused by formaldehyde and its polymers
RG 43 BIS	Cancerous conditions caused by formaldehyde
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Employment restrictions

: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Water hazard class (WGK) Chemicals Prohibition Ordinance (ChemVerbotsV) Hazardous Incident Ordinance (12. BImSchV)	 WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). This product is subject to ChemVerbotsV Annex 1 Entry 1. Paragraph 1) Coated and uncoated wood-based materials (chipboard, blockboard, veneer panels, and fibreboard) may not be placed on the market if the equalizing concentration of formaldehyde in the air in a test room exceeds 0.1 ml / cbm (ppm). Paragraph 2) Furniture that contains wood-based materials that do not meet the requirements of Paragraph 1 may not be placed on the market. Paragraph 1 is also deemed to have been fulfilled if the furniture complies with the equalization concentration specified in paragraph 1 during a whole-body test. Paragraph 3) Detergents, cleaning agents and care products with a mass content of more than 0.2% formaldehyde may not be placed on the market. Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW list of carcinogenic substances SZW list of mutagens SZW list of reprotoxic substances – Breastfeeding SZW list of reprotoxic substances – Fertility SZW list of reprotoxic substances – Development	 formaldehyde is listed None of the components are listed
Denmark	
Danish National Regulations	: Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 1	6: Other inf	ormation
------------------	--------------	----------

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and ac	Abbreviations and acronyms:	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Carc. 2	Carcinogenicity, Category 2
EUH208	Contains formaldehyde (50-00-0). May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H311	Toxic in contact with skin.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Reason for change: updating to latest format.