

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : Hematology Reagent C: Eosin Concentrate

Product code : SS-171C2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Hematology Pro staining reagent

#### 1.3. Details of the supplier of the safety data sheet

ELITechGroup Inc. 370 West 1700 South Logan, UT 84321 - USA

T+1 (435) 752-6011 - F+1 (435) 752-4127

qara\_ebs@elitechgroup.com - www.elitechgroup.com

#### 1.4. Emergency telephone number

Emergency number : Contact your distributor or poison control center in your country.

InfoTrac Emergency Response: Calls within the USA, phone: 1-800-535-5053. Calls outside the USA,

phone: +1 352-323-3500 (call collect)

Customer ID: #90104 (NOTE: this number is required when a customer calls into either phone number

above).

# SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

### **GHS US classification**

Flam. Liq. 3 H226 - Flammable liquid and vapor Skin Irrit. 2 H315 - Causes skin irritation

Skin Sens. 1 H317 - May cause an allergic skin reaction Eye Dam. 1 H318 - Causes serious eye damage

Full text of H statements : see section 16

#### 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)





GHS02

GHS05

Signal word (GHS US) : Danger

Hazard statements (GHS US) : H226 - Flammable liquid and vapor

 ${\rm H315-Causes\ skin\ irritation}$ 

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed. P261 - Avoid breathing mist, spray, vapors. P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves, protective clothing, eye protection. P302+P352 - If on skin: Wash with plenty of soap and water.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use ABC-powder, alcohol resistant foam, BC-powder, carbon dioxide (CO2), D-powder to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
maleic acid	(CAS-No.) 110-16-7	1-5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Skin Sens. 1, H317 STOT SE 3, H335
potassium hydroxide	(CAS-No.) 1310-58-3	1-5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314
Tergitol TMN-100X	(CAS-No.) 60828-78-6	< 2.5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician

immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction. Irritation.

Symptoms/effects after eye contact : Serious damage to eyes. Eye irritation.

Symptoms/effects after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : ABC powder. Alcohol-resistant foam. BC powder. Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

Reactivity : Flammable liquid and vapor.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

Do not breathe spray, mist.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only

non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.

Avoid contact with skin and eyes. Do not breathe spray, mist.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of

the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling

the product

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

potassium hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection : Wear protective gloves. Suitable gloves should be tested to EN 374. The glove material has to be

impermeable and resistant to the product/the substance/the preparation. As the product is a preparation of several substances, the resistance and penetration time/breakthrough time of the glove material cannot be calculated/observed in advance and, therefore, has to be checked prior to the application. The following are recommended: materials - natural latex or nitrile; thickness - 4 to 6 mils

(0.1 mm - 0.15 mm); minimum breakthrough time - 60 minutes.

Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Red

Odor : Characteristic Odor threshold : No data available рΗ  $\approx 5.35 (5.3 - 5.4)$ Melting point : Not applicable Freezing point : No data available **Boiling** point : No data available : ≈ 37.5 (36.1 – 38.9) °C Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available **Explosive properties** : No data available Oxidizing properties : No data available : No data available Vapor pressure Relative density : No data available

Solubility : Water: No available toxicity data on inhalation

: No data available

Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

#### 9.2. Other information

No additional information available

Relative vapor density at 20 °C

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapor.

# 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. \\

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

#### Information on toxicological effects

Acute toxicity	: Not classified
maleic acid (110-16-7)	
LD50 oral rat	2870 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2470 - 3250
LD50 dermal rabbit	2620 mg/kg body weight Animal: rabbit, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	708 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
potassium hydroxide (1310-58-3)	
LD50 oral rat	333 – 388 mg/kg body weight (Equivalent or similar to OECD 425, Rat, Male, Experimental value, Oral, 14 day(s))
ATE US (oral)	333 mg/kg body weight
Tergitol TMN-100X (60828-78-6)	
LD50 oral rat	5650 mg/kg (Rat, Oral)
LD50 dermal rabbit	4493 mg/kg (Rabbit, Dermal)
ATE US (oral)	5650 mg/kg body weight
ATE US (dermal)	4493 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
	pH: ≈ 5.35 (5.3 – 5.4)
Serious eye damage/irritation	: Causes serious eye damage.
	pH: ≈ 5.35 (5.3 – 5.4)
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Rased on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

: Not classified STOT-repeated exposure

: Not classified Aspiration hazard

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction. Irritation.

Symptoms/effects after eye contact : Serious damage to eyes. Eye irritation.

Symptoms/effects after ingestion : Burns.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

maleic acid (110-16-7)	
EC50 Daphnia 1	42.81 mg/l Test organisms (species): Daphnia magna
EC50 Daphnia 2	≈ 93.8 mg/l Test organisms (species): Daphnia magna

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

maleic acid (110-16-7)		
ErC50 (algae)	74.35 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)	
NOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
potassium hydroxide (1310-58-3)		
LC50 fish 1	80 mg/l (96 h; Gambusia affinis)	
Tergitol TMN-100X (60828-78-6)		
LC50 fish 1	39 mg/l (96 h, Pimephales promelas, Static system, Literature study)	
EC50 Daphnia 1	81.2 mg/l (48 h, Daphnia magna, Static system, Literature study)	

# 12.2. Persistence and degradability

Hematology Reagent C: Eosin Concentrate		
Persistence and degradability	Not established.	
maleic acid (110-16-7)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.38 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	0.83 g O <sub>2</sub> /g substance	
ThOD	0.83 g O <sub>2</sub> /g substance	
potassium hydroxide (1310-58-3)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Tergitol TMN-100X (60828-78-6)		
Persistence and degradability	Not readily biodegradable in water.	
Chemical oxygen demand (COD)	2.12 g O₂/g substance	
ThOD	0.49 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0 (5 day(s), Literature study)	

### 12.3. Bioaccumulative potential

Hematology Reagent C: Eosin Concentrate		
Bioaccumulative potential	Not established.	
maleic acid (110-16-7)		
Partition coefficient n-octanol/water (Log Pow)	-1.3 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	
potassium hydroxide (1310-58-3)		
Bioaccumulative potential	Not bioaccumulative.	
Tergitol TMN-100X (60828-78-6)		
Partition coefficient n-octanol/water (Log Pow)	4.2 (KOWWIN)	
Bioaccumulative potential	No bioaccumulation data available.	

# 12.4. Mobility in soil

maleic acid (110-16-7)		
Partition coefficient n-octanol/water (Log Koc)	1.63 (log Koc, Calculated value)	
Ecology - soil	Highly mobile in soil.	
potassium hydroxide (1310-58-3)		
Ecology - soil	Low potential for adsorption in soil.	
Tergitol TMN-100X (60828-78-6)		
Ecology - soil	No (test)data on mobility of the substance available.	

# 12.5. Other adverse effects

Other information : Avoid release to the environment.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or

international regulation.

Additional information : Flammable vapors may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

#### **SECTION 14: Transport information**

#### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1170 Ethyl alcohol solutions, 3, III

UN-No.(DOT) : UN1170

Proper Shipping Name (DOT) : Ethyl alcohol solutions

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Special Provisions (49 CFR 172.102) : 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as

materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III.

B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of

authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are

applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are

T2 - 1.5 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport,

and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b, 150 DOT Quantity Limitations Passenger aircraft/rail (49

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 CFR : 220 L

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

### **Transportation of Dangerous Goods**

No additional information available

### Transport by sea

UN-No. (IMDG) : 1170

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

Air transport

UN-No. (IATA) : 1170

Proper Shipping Name (IATA) : Ethanol solution

Class (IATA) : 3 - Flammable Liquids

Packing group (IATA) : III - Minor Danger

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

maleic acid (110-16-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory  Not subject to reporting requirements of the United States SARA Section 313		
CERCLA RQ 5000 lb		
potassium hydroxide (1310-58-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory  Not subject to reporting requirements of the United States SARA Section 313		
CERCLA RQ	1000 lb	
Tergitol TMN-100X (60828-78-6)		

# 15.2. International regulations

#### CANADA

maleic acid (110-16-7)
------------------------

Listed on the Canadian DSL (Domestic Substances List)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# potassium hydroxide (1310-58-3)

Listed on the Canadian DSL (Domestic Substances List)

#### Tergitol TMN-100X (60828-78-6)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

# maleic acid (110-16-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### potassium hydroxide (1310-58-3)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

# **SECTION 16: Other information**

Other information : None.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# Full text of H-phrases:

H226	Flammable liquid and vapor
H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation

SDS US Custom - EBS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Reason For Change: updated to latest GHS format and classifications to meet compliance. Added Prop 65 information to Section 15.