

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Aerospray® TB Reagent B, Brilliant Green Concentrate

Product code : SS-161BBG
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Laboratory chemical

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ELITechGroup Inc. 370 West 1700 South US- 84321 Logan, UT - Cache USA

T +1 (435) 752-6011 - F +1 (435) 752-4127

 $qara\_ebs@elitechgroup.com - www.elitechgroup.com\\$ 

# 1.4. Emergency telephone number

Emergency number : Contact your distributor or poison control center in your country.

InfoTrac Emergency Response: Calls within the USA, phone: 1-800-535-5053. Calls outside

the USA, phone: +1 352-323-3500 (call collect)

Customer ID: #90104 (NOTE: this number is required when a customer calls into either

phone number above).

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Skin sensitisation, Category 1 H317
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS05

GHS07

Signal word (CLP)

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

: Danger

C.I. basic green 1

H226 - Flammable liquid and vapour.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

: P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking.

P233 - Keep container tightly closed.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing mist, spray, vapours. P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use ABC-powder, alcohol resistant foam, BC-powder, carbon

dioxide (CO2). D-powder for extinction.

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component             |  |
|-----------------------|--|
| malic acid (617-48-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 3.2. Mixtures

| Name                                | Product identifier                     | %       | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP]  |
|-------------------------------------|--|---------|--|
| malic acid                          | CAS-No.: 617-48-1<br>EC-No.: 210-514-9 | 0.5 – 5 | Acute Tox. 4 (Inhalation:dust,mist), H332<br>Eye Irrit. 2, H319  |
| C.I. basic green 1                  | CAS-No.: 633-03-4<br>EC-No.: 211-190-1 | 1 – 5   | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 |
| alkyldimethylbenzylammoniumchloride | CAS-No.: 8001-54-5                     | 0.1 – 1 | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Dermal), H312<br>Skin Corr. 1B, H314<br>Aquatic Acute 1, H400                               |

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with

plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing

before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Call a physician

immediately.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage. Serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : ABC powder. Alcohol-resistant foam. BC powder. Water spray. Dry powder. Foam. Carbon

dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

SDS-00088-ENC.doc © ELITechGroup Inc.

Release Date: 2023-06-20 EU-EN 3/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and

no smoking. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures

Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed. Store in a well-ventilated place. Keep cool.

: Strong bases. Strong acids.

Incompatible products Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources.

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

No additional information available

### 8.1.2. Recommended monitoring procedures

No additional information available

# 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Personal protective equipment symbol(s):





# 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves. Suitable gloves should be tested to EN 374. The glove material has to be impermeable and resistant to the product/the substance/the preparation. As the product is a preparation of several substances, the resistance and penetration time/breakthrough time of the glove material cannot be calculated/observed in advance and, therefore, has to be checked prior to the application. The following are recommended: materials - natural latex or nitrile; thickness - 4 to 6 mils (0.1 mm - 0.15 mm); minimum breakthrough time - 60 minutes.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Dark green
Odour : Characteristic
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available

Flammability : Flammable liquid and vapour.

**Explosive limits** Not available Lower explosion limit Not available Upper explosion limit Not available : 52.2 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available : 3.85(3.7-4)pН Viscosity, kinematic Not available

Solubility : Water: No data available

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour.

#### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

# 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| malic acid (617-48-1)         |   |
|-------------------------------|---|
| LD50 oral rat                 | 9300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))   |
| LC50 Inhalation - Rat         | > 1.306 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (dust), 14 day(s)) |
| C.I. basic green 1 (633-03-4) |   |
| LD50 oral rat                 | 674 mg/kg bodyweight (Equivalent or similar to OECD 423, Rat, Male / female, Readacross, Oral, 14 day(s))   |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| C.I. basic green 1 (633-03-4)             |  |
|---|--|
| LD50 dermal rat                           | > 2000 mg/kg bodyweight (Rat, Read-across, Dermal, 14 day(s))                            |
| alkyldimethylbenzylammoniumchloride (8001 | -54-5)   |
| LD50 oral                                 | 625 mg/kg  |
| LD50 dermal                               | 1375 mg/kg   |
| LC50 Inhalation - Rat                     | 13.8 mg/l/4h   |
| Skin corrosion/irritation :               | Not classified   |
| Additional information :                  | pH: $3.85 (3.7 - 4)$<br>Based on available data, the classification criteria are not met |
| malic acid (617-48-1)                     |  |
| рН  | 2.4 (1 %)  |
| C.I. basic green 1 (633-03-4)             |  |
| рН  | 2 – 3 (1 %)  |
| Serious eye damage/irritation :           | Causes serious eye damage.<br>pH: 3.85 (3.7 – 4)   |
| malic acid (617-48-1)                     |  |
| рН  | 2.4 (1 %)  |
| C.I. basic green 1 (633-03-4)             |  |
| рН  | 2 – 3 (1 %)  |
| Respiratory or skin sensitisation :       | May cause an allergic skin reaction.   |
| Germ cell mutagenicity :                  | Not classified   |
| Additional information :                  | Based on available data, the classification criteria are not met                         |
| Carcinogenicity :                         | Not classified   |
| Additional information :                  | Based on available data, the classification criteria are not met                         |
| Reproductive toxicity :                   | Not classified   |
| Additional information :                  | Based on available data, the classification criteria are not met                         |
| STOT-single exposure :                    | Not classified   |
| Additional information :                  | Based on available data, the classification criteria are not met                         |
| STOT-repeated exposure :                  | Not classified   |
| Additional information :                  | Based on available data, the classification criteria are not met                         |
| Aspiration hazard :                       | Not classified   |
| Additional information :                  | Based on available data, the classification criteria are not met                         |
| malic acid (617-48-1)                     |  |
| Viscosity, kinematic                      | Not applicable   |
| C.I. basic green 1 (633-03-4)             |  |
| Viscosity, kinematic                      | Not applicable (solid)   |
|   |  |

# 11.2. Information on other hazards

# 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects. Ecology - water Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

Not classified

Hazardous to the aquatic environment, long-term

: Very toxic to aquatic life with long lasting effects.

(chronic)

| , ,   |  |  |
|---|--|--|
| malic acid (617-48-1)                           |  |  |
| LC50 - Fish [1]                                 | > 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Read-across, GLP)                   |  |
| ErC50 algae                                     | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, GLP) |  |
| C.I. basic green 1 (633-03-4)                   |  |  |
| LC50 - Fish [1]                                 | 0.0305 mg/l (96 h, Lepomis macrochirus, Fresh water)   |  |
| EC50 - Crustacea [1]                            | 0.079 mg/l (96 h, Invertebrata, Fresh water)   |  |
| ErC50 algae                                     | 1.7913 mg/l (7 day(s), Lemna gibba, Nominal concentration)   |  |
| alkyldimethylbenzylammoniumchloride (8001-54-5) |  |  |
| LC50 - Fish [1]                                 | 0.62 mg/l (96 h; Rasbora heteromorpha)   |  |
| LC50 - Fish [2]                                 | 1.1 mg/l (48 h; Rasbora heteromorpha)  |  |

# 12.2. Persistence and degradability

| Aerospray® TB Reagent B, Brilliant Green Concentrate |   |
|--|---|
| Persistence and degradability                        | May cause long-term adverse effects in the environment. |
| malic acid (617-48-1)                                |   |
| Persistence and degradability                        | Readily biodegradable in water. Not established.        |
| ThOD   | 0.718 g O₂/g substance                                  |
| BOD (% of ThOD)                                      | 0.65  |
| C.I. basic green 1 (633-03-4)                        |   |
| Persistence and degradability                        | Not readily biodegradable in water.                     |
| alkyldimethylbenzylammoniumchloride (8001-54-5)      |   |
| Persistence and degradability                        | Readily biodegradable in water.                         |

# 12.3. Bioaccumulative potential

| Aerospray® TB Reagent B, Brilliant Green Concentrate |  |
|--|--|
| Bioaccumulative potential Not established.           |  |
| malic acid (617-48-1)                                |  |
| Partition coefficient n-octanol/water (Log Pow)      | -1.27 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 24 °C) |

© ELITechGroup Inc. SDS-00088-ENC.doc EU-EN

9/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| malic acid (617-48-1)                           |   |
|---|---|
| Bioaccumulative potential                       | Not bioaccumulative. Not established.   |
| C.I. basic green 1 (633-03-4)                   |   |
| Partition coefficient n-octanol/water (Log Pow) | 0.7647 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) |
| Bioaccumulative potential                       | Low potential for bioaccumulation (Log Kow < 4).  |
| alkyldimethylbenzylammoniumchloride (8001-54-5) |   |
| Bioaccumulative potential                       | Not bioaccumulative.  |

# 12.4. Mobility in soil

| malic acid (617-48-1)                           |  |
|---|--|
| Ecology - soil                                  | Highly mobile in soil.                                   |
| C.I. basic green 1 (633-03-4)                   |  |
| Surface tension                                 | No data available in the literature                      |
| Ecology - soil                                  | No (test)data on mobility of the substance available.    |
| alkyldimethylbenzylammoniumchloride (8001-54-5) |  |
| Ecology - soil                                  | No (test)data on mobility of the component(s) available. |

#### 12.5. Results of PBT and vPvB assessment

| Component             |  |
|-----------------------|--|
| malic acid (617-48-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

#### 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Additional information : Handle empty containers with care because resid

: Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 14.1. UN number or ID number

UN-No. (ADR) : UN 1170 UN-No. (IMDG) : UN 1170 UN-No. (IATA) UN 1170 UN-No. (ADN) : UN 1170 UN-No. (RID) : UN 1170

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Proper Shipping Name (IMDG)

Proper Shipping Name (IATA) Ethanol solution

Proper Shipping Name (ADN) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Proper Shipping Name (RID) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport document description (ADR) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E) Transport document description (IMDG) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

Transport document description (IATA) : UN 1170 Ethanol solution, 3, III

: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III Transport document description (ADN) Transport document description (RID) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

# 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3 Danger labels (ADR)

: 3



#### **IMDG**

Transport hazard class(es) (IMDG) : 3 3

Danger labels (IMDG)



# IATA

Transport hazard class(es) (IATA) : 3 : 3 Danger labels (IATA)

#### ADN

Transport hazard class(es) (ADN) : 3

Danger labels (ADN) 3



© ELITechGroup Inc. SDS-00088-ENC.doc

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3

.



## 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

#### 14.5. Environmental hazards

Dangerous for the environment : Yes (Environmentally hazardous substances derogation applies (quantity of liquids  $\leq 5$  litres

or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore

not required, as stated in the ADR regulation, section 5.2.1.8.1.)

Marine pollutant : Yes (IMDG 5.2.1.6.1 derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤

5 kg))

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T2
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates

30 1170

Tunnel restriction code (ADR) : D/E EAC code : •2YE

#### Transport by sea

Special provisions (IMDG) : 144, 223
Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T2

Tank special provisions (IMDG) : TP1

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to

19% Miscible with water.

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L

Special provisions (IATA) : A3, A58, A180

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 144, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 144, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP1
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### **France**

| Occupational diseases |  |
|-----------------------|--|
| Code                  | Description                                |
| RG 65                 | Eczematiform lesions of allergic mechanism |
| RG 66                 | Occupational rhinitis and asthma           |

#### Germany

**Employment restrictions** : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). Water hazard class (WGK)

Hazardous Incident Ordinance (12. BImSchV) Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW list of carcinogenic substances : None of the components are listed SZW list of mutagens None of the components are listed SZW list of reprotoxic substances - Breastfeeding None of the components are listed SZW list of reprotoxic substances - Fertility None of the components are listed

Denmark

Class for fire hazard : Class II-1 Store unit

Classification remarks R10 <H226;H317;H318;H410>; Emergency management guidelines for the storage of

flammable liquids must be followed

None of the components are listed

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

14/16

the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SZW list of reprotoxic substances – Development

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 16: Other information**

| Abbreviations and acr | onyms:  |
|-----------------------|---|
| ADN                   | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                   | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                   | Acute Toxicity Estimate   |
| BCF                   | Bioconcentration factor   |
| BLV                   | Biological limit value  |
| BOD                   | Biochemical oxygen demand (BOD)   |
| COD                   | Chemical oxygen demand (COD)  |
| DMEL                  | Derived Minimal Effect level  |
| DNEL                  | Derived-No Effect Level   |
| EC-No.                | European Community number   |
| EC50                  | Median effective concentration  |
| EN                    | European Standard   |
| IARC                  | International Agency for Research on Cancer   |
| IATA                  | International Air Transport Association   |
| IMDG                  | International Maritime Dangerous Goods  |
| LC50                  | Median lethal concentration   |
| LD50                  | Median lethal dose  |
| LOAEL                 | Lowest Observed Adverse Effect Level  |
| NOAEC                 | No-Observed Adverse Effect Concentration  |
| NOAEL                 | No-Observed Adverse Effect Level  |
| NOEC                  | No-Observed Effect Concentration  |
| OECD                  | Organisation for Economic Co-operation and Development  |
| OEL                   | Occupational Exposure Limit   |
| PBT                   | Persistent Bioaccumulative Toxic  |
| PNEC                  | Predicted No-Effect Concentration   |
| RID                   | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                   | Safety Data Sheet   |
| STP                   | Sewage treatment plant  |
| ThOD                  | Theoretical oxygen demand (ThOD)  |
| TLM                   | Median Tolerance Limit  |
| VOC                   | Volatile Organic Compounds  |
| CAS-No.               | Chemical Abstract Service number  |
| N.O.S.                | Not Otherwise Specified   |
| vPvB                  | Very Persistent and Very Bioaccumulative  |

© ELITechGroup Inc. SDS-00088-ENC.doc EU-EN

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |                                 |
|-----------------------------|---------------------------------|
| ED                          | Endocrine disrupting properties |

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources

> COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Acute Tox. 4 (Dermal)               | Acute toxicity (dermal), Category 4                               |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4                  |
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1                     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                     |
| H226                                | Flammable liquid and vapour.                                      |
| H302                                | Harmful if swallowed.   |
| H312                                | Harmful in contact with skin.                                     |
| H314                                | Causes severe skin burns and eye damage.                          |
| H315                                | Causes skin irritation.   |
| H317                                | May cause an allergic skin reaction.                              |
| H318                                | Causes serious eye damage.  |
| H319                                | Causes serious eye irritation.                                    |
| H332                                | Harmful if inhaled.   |
| H400                                | Very toxic to aquatic life.                                       |
| H410                                | Very toxic to aquatic life with long lasting effects.             |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B            |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                             |
| Skin Sens. 1                        | Skin sensitisation, Category 1                                    |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Reason for change: updating to latest format.

© ELITechGroup Inc. SDS-00088-ENC.doc EU-EN 16/16