

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Aerospray® PM Cleaning Solution

Product code : SS-266
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Laboratory chemical

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ELITechGroup Inc. 370 West 1700 South US- 84321 Logan, UT - Cache USA

T+1 (435) 752-6011 - F+1 (435) 752-4127

qara\_ebs@elitechgroup.com - www.elitechgroup.com

## 1.4. Emergency telephone number

Emergency number : Contact your distributor or poison control center in your country.

 $InfoTrac\ Emergency\ Response:\ Calls\ within\ the\ USA,\ phone:\ 1-800-535-5053.\ Calls\ outside$ 

the USA, phone: +1 352-323-3500 (call collect)

Customer ID: #90104 (NOTE: this number is required when a customer calls into either

phone number above).

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation.

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02 G

GHS07

Release Date: 2023-02-16 EU-EN 1/16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.

P233 - Keep container tightly closed.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use ABC-powder, alcohol resistant foam, BC-powder, carbon

dioxide (CO2), D-powder to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

2/16

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
citric acid (77-92-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Release Date: 2023-02-16

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	5 – 10	Flam. Liq. 2, H225
citric acid	CAS-No.: 77-92-9 EC-No.: 201-069-1	1 – 5	Skin Corr. 1, H314

Full text of H- and EUH-statements: see section 16

© ELITechGroup Inc. SDS-00092-FNC docx EU-EN

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with

plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this

label). If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Causes skin irritation. Irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : ABC powder. Alcohol-resistant foam. BC powder. Water spray. Dry powder. Foam. Carbon

dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and

no smoking. Avoid contact with skin and eyes.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

**Emergency procedures** Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

- : Handle empty containers with care because residual vapours are flammable.
- Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid

contact with skin and eyes.

Hygiene measures Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not

eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical/ventilating/lighting

equipment.

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Keep

container tightly closed. Store in a well-ventilated place. Keep cool.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight. Heat sources.

## 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

© ELITechGroup Inc. SDS-00092-ENC.docx

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol (64-17-5)	
Belgium - Occupational Exposure Limits	
OEL TWA	1907 mg/m³
OEL TWA [ppm]	1000 ppm
France - Occupational Exposure Limits	
VME (OEL TWA)	1900 mg/m³
VME (OEL TWA) [ppm]	1000 ppm
VLE (OEL C/STEL)	9500 mg/m³
VLE (OEL C/STEL) [ppm]	5000 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	260 mg/m³
TGG-8u (OEL TWA) [ppm]	136 ppm
TGG-15min (OEL STEL)	1900 mg/m³
TGG-15min (OEL STEL) [ppm]	992 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	1920 mg/m³
WEL TWA (OEL TWA) [2]	1000 ppm
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH OEL STEL [ppm]	1000 ppm
Remark (ACGIH)	URT irr
Regulatory reference	ACGIH 2022

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Personal protective equipment symbol(s):





## 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Wear protective gloves. Suitable gloves should be tested to EN 374. The glove material has to be impermeable and resistant to the product/the substance/the preparation. As the product is a preparation of several substances, the resistance and penetration time/breakthrough time of the glove material cannot be calculated/observed in advance and, therefore, has to be checked prior to the application. The following are recommended: materials - natural latex or nitrile; thickness - 4 to 6 mils (0.1 mm - 0.15 mm); minimum breakthrough time - 60 minutes.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless
Odour
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : Not available

Flammability : Flammable liquid and vapour.

**Explosive limits** Not available Lower explosion limit Not available Upper explosion limit : Not available : ≈ 52.8 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available : 2.2(1.9 - 2.5)pН Viscosity, kinematic Not available

Solubility : Water: No data available

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50°C : Not available

Density : < 1

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable liquid and vapour.

### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	8300 mg/kg bodyweight Animal: mouse
LC50 Inhalation - Rat	124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

citric acid (77-92-9)	
LD50 oral rat	11700 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
Skin corrosion/irritation	: Causes skin irritation. pH: 2.2 (1.9 – 2.5)
ethanol (64-17-5)	
рН	7 (789 g/l, 20 °C)
citric acid (77-92-9)	
рН	1.8 (5 %, 25 °C)
Serious eye damage/irritation	: Causes serious eye irritation. pH: 2.2 (1.9 – 2.5)
ethanol (64-17-5)	
рН	7 (789 g/l, 20 °C)
citric acid (77-92-9)	
рН	1.8 (5 %, 25 °C)
Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information Reproductive toxicity Additional information STOT-single exposure Additional information STOT-repeated exposure Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>
ethanol (64-17-5)	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
citric acid (77-92-9)	
LOAEL (oral, rat, 90 days)	8000 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days)	4000 mg/kg bodyweight Animal: rat
Aspiration hazard Additional information	Not classified     Based on available data, the classification criteria are not met
ethanol (64-17-5)	
Viscosity, kinematic	1.6 mm²/s (20 °C)
citric acid (77-92-9)	
Viscosity, kinematic	Not applicable (solid)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

: Not classified : Not classified

Hazardous to the aquatic environment, long-term

(chronic)

ethanol (64-17-5)	
LC50 - Fish [1]	13 mg/l (96 h, Salmo gairdneri, Pure substance)
EC50 - Crustacea [1]	9300 mg/l (48 h, Daphnia magna, Pure substance)
EC50 72h - Algae [1]	275 mg/l (Equivalent or similar to OECD 201, Chlorella vulgaris, Static system, Fresh water, Experimental value, Growth rate)
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'
citric acid (77-92-9)	
LC50 - Fish [1]	440 – 760 mg/l (Equivalent or similar to OECD 203, 48 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)

## 12.2. Persistence and degradability

Aersopray® PM Cleaning Solution		
Persistence and degradability	Not established.	
ethanol (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 − 0.967 g O₂/g substance	
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance	
ThOD	2.1 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.43	
citric acid (77-92-9)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.42 g O₂/g substance	
Chemical oxygen demand (COD)	0.728 g O₂/g substance	
ThOD	0.686 g O <sub>2</sub> /g substance	

© ELITechGroup Inc. SDS-00092-ENC.docx EU-EN

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.3. Bioaccumulative potential

Aersopray® PM Cleaning Solution		
Bioaccumulative potential	Not established.	
ethanol (64-17-5)		
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)	
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)	
Bioaccumulative potential	Not bioaccumulative.	
citric acid (77-92-9)		
Partition coefficient n-octanol/water (Log Pow)	-1.8 – -1.55 (Experimental value)	
Bioaccumulative potential	Not bioaccumulative.	

## 12.4. Mobility in soil

ethanol (64-17-5)		
Surface tension	22.31 mN/m (20 °C, 100 %)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.2 (log Koc, Experimental value)	
Ecology - soil	Highly mobile in soil.	
citric acid (77-92-9)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	

## 12.5. Results of PBT and vPvB assessment

Component	
ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
citric acid (77-92-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SDS-00092-ENC.docx © ELITechGroup Inc.

Release Date: 2023-02-16 EU-EN 10/16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1170

 UN-No. (IMDG)
 : UN 1170

 UN-No. (IATA)
 : UN 1170

 UN-No. (ADN)
 : UN 1170

 UN-No. (RID)
 : UN 1170

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper Shipping Name (IATA) : Ethanol solution

Proper Shipping Name (ADN) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (RID) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport document description (ADR)

: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)

Transport document description (IMDG)

: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

Transport document description (IATA) : UN 1170 Ethanol solution, 3, III

Transport document description (ADN) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III
Transport document description (RID) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

## 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3

3

#### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



#### IATA

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



#### **ADN**

Transport hazard class(es) (ADN) Danger labels (ADN) : 3



#### RID

Transport hazard class(es) (RID) : 3 Danger labels (RID) : 3



## 14.4. Packing group

Packing group (ADR) : 111 Packing group (IMDG) : III Packing group (IATA) : 111 Packing group (ADN) : III Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant No

Other information : No supplementary information available

## 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : F1 Special provisions (ADR) : 144, 601 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) : T2 Portable tank and bulk container special provisions : TP1

(ADR)

: LGBF Tank code (ADR) Vehicle for tank carriage : FL : 3 Transport category (ADR) : V12 Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation (ADR) : S2 Hazard identification number (Kemler No.) : 30

© ELITechGroup Inc. SDS-00092-ENC.docx EU-EN

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates 30 1170

D/E Tunnel restriction code (ADR) EAC code : •2YE

Transport by sea

: 144, 223 Special provisions (IMDG) Limited quantities (IMDG) 5 L Excepted quantities (IMDG) E1 Packing instructions (IMDG) P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 : TP1 Tank special provisions (IMDG) EmS-No. (Fire) : F-E EmS-No. (Spillage) S-D :

Properties and observations (IMDG) : Colourless, volatile liquids.Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to

19% Miscible with water.

: A

Air transport

Stowage category (IMDG)

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y344 PCA limited quantity max net quantity (IATA) 10L PCA packing instructions (IATA) 355 PCA max net quantity (IATA) 60L CAO packing instructions (IATA) 366 CAO max net quantity (IATA) 220L Special provisions (IATA) A3, A58, A180

ERG code (IATA) : 3L

Inland waterway transport

: F1 Classification code (ADN) Special provisions (ADN) : 144, 601 Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1 Special provisions (RID) : 144, 601 Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) : T2 Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF Transport category (RID) : 3 Special provisions for carriage – Packages (RID) : W12 Colis express (express parcels) (RID) : CE4 Hazard identification number (RID) : 30

© ELITechGroup Inc. SDS-00092-ENC.docx

13/16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### **Germany**

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW list of carcinogenic substances : ethanol is listed

SZW list of mutagens : None of the components are listed

SZW list of reprotoxic substances – Breastfeeding : ethanol is listed SZW list of reprotoxic substances – Fertility : ethanol is listed SZW list of reprotoxic substances – Development : ethanol is listed

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Denmark**

Classification remarks

: Emergency management guidelines for the storage of flammable liquids must be followed

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	

 SDS-00092-ENC.docx
 © ELITechGroup Inc.

 Release Date: 2023-02-16
 EU-EN
 15/16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Skin Corr. 1	Skin corrosion/irritation, Category 1

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Reason for change: updating to latest format.