

Printing date 09/08/2015 Reviewed on 09/08/2015

### 1: Identification

### · Product identifier

· Trade name: UREA UV SL REAGENT 1

· Article number: 77445A / 79445A / URSL-0850R1 / URSL-5XXX

 $\cdot \textit{Synonyms} \; EON \; 100 \; BUN/UREA \; R1, \; EON \; 300 \; BUN/UREA \; R1, \; UREA/BUN \; ENVOY \; R1, \; UREA \; UV \; SL \; R1.$ 

Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Reagent for IN VITRO diagnostic

Product included in kit(s):

- Kit composed of two reagents: 77445 / 79445 / 55445 / URSL-0250.

### · Details of the supplier of the safety data sheet

### Manufacturer/Supplier:

ELITech Clinical Systems SAS

Zone Industrielle 61500 Sées • France Tel: +33 (0)2 33 81 21 00 Fax: +33 (0)2 33 28 77 51 www.elitechgroup.com

MSDS.ECS-SAS@elitechgroup.com

Information department: Product safety department

Emergency telephone number: Contact your distributor or poison control center in your country.

### 2: Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 -
- · Hazard pictograms -
- · Signal word -
- · Hazard statements -

### 3: Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Mixture of substances.

Aqueous solution.

· Dangerous components:

· CAS NO. Description

25322-68-3 Poly(oxy-1,2-ethanediyl), α-hydro- ω-hydroxy- Ethane-1,2-diol, ethoxylated

≤ 2.5%

### 4: First-aid measures

- · Description of first aid measures
- · General information: Show this safety data sheet to the doctor in attendance.
- After inhalation:

Supply fresh air.

Move out of dangerous area.

If required, provide artificial respiration.

If symptoms appear, seek medical advice.

After skin contact:

Rinse with water.

If symptoms appear, seek medical advice.

After eye contact:

Protect unharmed eye.

Remove contact lenses, if present and easy to do.

Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.

After swallowing:

Never give anything by mouth to an unconscious person.

Rinse out mouth.

Seek advice from a doctor or a poison control center.

· Information for doctor:

- · Most important symptoms and effects, both acute and delayed Data not available
- Indication of any immediate medical attention and special treatment needed Data not available

USA

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 1

(Contd. of page 1)

### 5: Fire-fighting measures

### · Extinguishing media

Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

Special hazards arising from the substance or mixture

Carbon oxides (COx)

Nitrogen oxides (NOx)

· Advice for firefighters

· Protective equipment: As in any fire, wear a respiratory protective device, and full protective gear.

### 6: Accidental release measures

### · Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid physical contact with material.

• Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Clean the affected area carefully.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7: Handling and storage

### · Handling:

### Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid physical contact with material.

Observe the warnings on the label.

· Information about protection against explosions and fires: No special measures required.

### Conditions for safe storage, including any incompatibilities

### Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- $\cdot \textit{Information about storage in one common storage facility} : \textit{Not required}.$
- Further information about storage conditions:

Keep container tightly closed.

Protect the product from light. Avoid exposure to heat.

· Recommended storage temperature: 2-8 °C

Specific end use(s) Data not available

### 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

### 25322-68-3 Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated

WEEL (USA) Long-term value: 10 mg/m<sup>3</sup>

(H); MW>200

· Additional information: The lists that were valid during the creation were used as basis.

### $\cdot \ Exposure \ controls$

### · Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

· Breathing equipment:

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

(Contd. on page 3)

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 1

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Goggles recommended during refilling.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Body protection: Protective work clothing

9: Physical and chemical pro	
Information on basic physical and of	chemical properties
General Information Appearance:	
Appearance: Form:	Liquid
Color:	Colorless
· Odor:	Odorless
Odour threshold:	Not determined
pH-value at 37 °C (99 °F):	7.6
Change in condition	
Melting point/Melting range:	Not applicable
Boiling point/Boiling range:	Not determined
Solidification point:	Not determined
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not applicable
Decomposition temperature:	Not determined
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapor pressure:	Not determined.
Density:	
Relative density at 20 °C (68 °F)	1.01 g/cm³ (8.428 lbs/gal)
Vapour density	Not determined
Evaporation rate	Not determined
Solubility in / Miscibility with	
Water:	Miscible
Partition coefficient (n-octanol/water	r): Not determined
Viscosity:	
Dynamic:	Not determined
Other information	No further relevant information available.

### 10: Stability and reactivity

- · Reactivity See § Possibility of hazardous reactions.
- · Chemical stability Stable under recommended storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

### · Possibility of hazardous reactions

Sodium azide, contains in the product (<0.1%), can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Oxidizing agents

Sodium azide (26628-22-8): incompatible with acids, and some metals; forms explosion-sensitive compounds.

· Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 4)

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 1

(Contd. of page 3)

Carbon oxides (COx)

Nitrogen oxides (NOx)

· Additional information: Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

### 11: Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 > 5000 mg/kg (rat)

25322-68-3 Poly(oxy-1,2-ethanediyl), α-hydro- ω-hydroxy- Ethane-1,2-diol, ethoxylated

Oral |LD50| > 50000 mg/kg (rat)

26628-22-8 sodium azide

Oral LD50 27 mg/kg (mouse)
Dermal LD50 20 mg/kg (rabbit)
Inhalative LC50 37 mg/m3 (rat)

- Primary irritant effect:
- on the skin: May cause irritating effect.
- · on the eye: May cause irritating effect.
- · Inhalation:

May be harmful by inhalation.

May cause irritating effect.

- · Ingestion: May be harmful if swallowed.
- · Sensitization: Data not available
- · Additional toxicological information:

Ingestion of large amount of sodium azide may cause nausea, vomiting and in certain circumstances respiratory difficulties, high pulse rate and/or hypersensitivity.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) None of the ingredient is listed.
- · NTP (National Toxicology Program) None of the ingredient is listed.

### 12: Ecological information

- · Toxicity
- Aquatic toxicity:

Information on components:

### 26628-22-8 sodium azide

EC50/48h 4.2 mg/l (Daphnia)

LC50/96h 0.68 mg/l (Lepomis macrochirus)

- Persistence and degradability Data not available
- Behavior in environmental systems:
- · Bioaccumulative potential Data not available
- · Mobility in soil Data not available
- · Additional ecological information:
- General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Disposal procedures have to be respected, see Section 13

Other adverse effects No further relevant information available.

### 13: Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent:

Sodium azide, contained in the product (<0.1%), can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.

Primary packaging: Plastic vial (composed of polyethylene high density)

### 14: Transport information

· UN-Number Not applicable

(Contd. on page 5)

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 1

		(Contd. of page
· DOT, ADR, ADN, IMDG, IATA	-	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	-	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	-	
Packing group DOT, ADR, IMDG, IATA	-	
Environmental hazards: Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of MAI		
IBC Code	Not applicable.	
· UN "Model Regulation":	-	

### 15: Regulatory information

### · SARA

Section 302/304 (40CFR355.30 / 40CFR355.40):

26628-22-8 sodium azide

- Section 313 (Specific toxic chemical listings): Not regulated
- · TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.
- Proposition 65
- · Chemicals known to cause cancer: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity: None of the ingredient is listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) None of the ingredient is listed.

· TLV (Threshold Limit Value established by ACGIH) 26628-22-8 sodium azide

· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredient is listed.

OSHA-Ca (Occupational Safety & Health Administration) None of the ingredient is listed.

U. S. State Regulations:

|--|

26628-22-8 sodium azide

· NJ-RTK

26628-22-8 sodium azide

MA-RTK

26628-22-8 sodium azide

· RI-RTK

26628-22-8 sodium azide

- US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact: Product safety department
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substance ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NOEC : No Observed Effect Concentration

EC50: Effective concentration, 50 percent

(Contd. on page 6)

A4

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 1

IC50 : Inhibitory concentration, 50 percent.

(Contd. of page 5)

\* Data compared to the previous version altered.

TICA -



Printing date 09/08/2015 Reviewed on 09/08/2015

### 1: Identification

### · Product identifier

· Trade name: UREA UV SL REAGENT 2

· Article number: 77445B / 79445B / URSL-0850R2 / URSL-6XXX.

· Synonyms EON 100 BUN/UREA R2, EON 300 BUN/UREA R2, UREA/BUN ENVOY R2, UREA UV SL R2.

Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Reagent for IN VITRO diagnostic

Product included in kit(s):

- Kit composed of two reagents: 77445 / 79445 / 55445 / URSL-0250.

### · Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ELITech Clinical Systems SAS

Zone Industrielle 61500 Sées • France Tel: +33 (0)2 33 81 21 00 Fax: +33 (0)2 33 28 77 51 www.elitechgroup.com

MSDS.ECS-SAS@elitechgroup.com

Information department: Product safety department

· Emergency telephone number: Contact your distributor or poison control center in your country.

### 2: Hazard(s) identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 -
- · Hazard pictograms
- · Signal word -
- · Hazard statements -

### 3: Composition/information on ingredients

· Chemical characterization: Mixtures

Description:

Mixture of substances. Aqueous solution.

· Dangerous components: No dangereous component in reportable quantity.

### 4: First-aid measures

### Description of first aid measures

- General information: Show this safety data sheet to the doctor in attendance.
- After inhalation:

Supply fresh air.

Move out of dangerous area

If required, provide artificial respiration.

If symptoms appear, seek medical advice.

After skin contact:

Rinse with water.

If symptoms appear, seek medical advice.

After eye contact:

Protect unharmed eye.

Remove contact lenses, if present and easy to do.

Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.

After swallowing:

Never give anything by mouth to an unconscious person.

Rinse out mouth.

Seek advice from a doctor or a poison control center.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed Data not available
- · Indication of any immediate medical attention and special treatment needed Data not available

### 5: Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 2

(Contd. of page 1)

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- Protective equipment: As in any fire, wear a respiratory protective device, and full protective gear.

### 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid physical contact with material.

- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Clean the affected area carefully.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7: Handling and storage

### · Handling:

### Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid physical contact with material.

Observe the warnings on the label

- Information about protection against explosions and fires: No special measures required
- Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- $\cdot \textit{Information about storage in one common storage facility} : \textit{Not required}.$
- · Further information about storage conditions:

Keep container tightly closed.

Protect the product from light. Avoid exposure to heat.

- · Recommended storage temperature: 2-8 °C
- Specific end use(s) Data not available.

### 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Information on components:

### 26628-22-8 sodium azide (<0.1%)

REL (USA) | Ceiling limit value: 0.3\*\* mg/m³, 0.1\* ppm \*as HN3; \*\*as NaN3; Skin TLV (USA) | Ceiling limit value: 0.29\*\* mg/m³, 0.11\* ppm \*as HN3 vapor \*\*as NaN3

· Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

### · Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Breathing equipment:

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 3)

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 2

(Contd. of page 2)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Goggles recommended during refilling.

- Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
- · Body protection: Protective work clothing

9: Physical and chemical pro	
Information on basic physical and of General Information	chemical properties
· General Information · Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Phenol-like
· Odour threshold:	Not determined
pH-value at 20 °C (68 °F):	10
· Change in condition	
Melting point/Melting range:	Not applicable
Boiling point/Boiling range:	Not determined.
Solidification point:	Not determined
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not applicable
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapor pressure:	Not determined.
Density:	
Relative density at 20 °C (68 °F)	0.999 g/cm³ (8.337 lbs/gal)
Vapour density	Not determined.
Evaporation rate	Not determined
· Solubility in / Miscibility with	
Water:	Miscible
Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Other information	No further relevant information available.

### 10: Stability and reactivity

- Reactivity See § Possibility of hazardous reactions.
- Chemical stability Stable under recommended storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions

Sodium azide, contains in the product (<0.1%), can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.

- · Conditions to avoid No further relevant information available.
- Incompatible materials:

Acids

- Sodium azide (26628-22-8): incompatible with acids, and some metals; forms explosion-sensitive compounds.
- Hazardous decomposition products: Dangerous decomposition products may be formed.
- Additional information: Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

- USA

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 2

(Contd. of page 3)

### 11: Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral | LD/LC50 | >5000 mg/kg (-)

26628-22-8 sodium azide

Oral LD50 27 mg/kg (mouse)
Dermal LD50 20 mg/kg (rabbit)
Inhalative LC50 37 mg/m3 (rat)

- Primary irritant effect:
- on the skin: May cause irritating effect.
- · on the eye: May cause irritating effect.
- · Inhalation:

May be harmful by inhalation.

May cause irritating effect.

- · Ingestion: May be harmful if swallowed.
- · Sensitization: Data not available
- · Additional toxicological information:

Ingestion of large amount of sodium azide may cause nausea, vomiting and in certain circumstances respiratory difficulties, high pulse rate and/or hypersensitivity.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) None of the ingredient is listed.
- · NTP (National Toxicology Program) None of the ingredient is listed.

### 12: Ecological information

- · Toxicity
- Aquatic toxicity:

Information on components:

### 26628-22-8 sodium azide

EC50/48h 4.2 mg/l (Daphnia)

LC50/96h 0.68 mg/l (Lepomis macrochirus)

- Persistence and degradability Data not available
- · Behavior in environmental systems:
- · Bioaccumulative potential Data not available
- Mobility in soil Data not available
- Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

Generally not hazardous for water

Disposal procedures have to be respected, see Section 13.

Other adverse effects No further relevant information available.

### 13: Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent:

Sodium azide, contained in the product (<0.1%), can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.

Primary packaging: Plastic vial (composed of polyethylene high density)

14: Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not applicable
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	-
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	<u>-</u>

(Contd. on page 5)

Printing date 09/08/2015 Reviewed on 09/08/2015

Trade name: UREA UV SL REAGENT 2

(Contd. of page 4) · Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the **IBC Code** UN "Model Regulation":

### 15: Regulatory information

Section 302/304 (40CFR355.30 / 40CFR355.40):

26628-22-8 sodium azide

- Section 313 (Specific toxic chemical listings): Not regulated.
- · TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.
- Proposition 65
- Chemicals known to cause cancer: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity: None of the ingredient is listed.

### Carcinogenic categories

· EPA (Environmental Protection Agency) None of the ingredient is listed.

l	· ILV (Threshold Limit Value established by ACGIH)	
	26628-22-8 sodium azide	A4

- · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredient is listed.
- · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredient is listed.

· U. S. State Regulations:	 8		
· PA-RTK			
26628-22-8 sodium azide			
· NJ-RTK			
26628-22-8 sodium azide			
· MA-RTK			
26628-22-8 sodium azide			
· RI-RTK	 ·	·	·
26628-22-8 sodium azide			

- US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing MSDS: Product safety department
- · Contact: Product safety department
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NOEC: No Observed Effect Concentration EC50: Effective concentration, 50 percent

IC50: Inhibitory concentration, 50 percent

\* Data compared to the previous version altered.

USA